

ANISTEL FALCON ACTIVATOR SOLUTION

Page: 1

Compilation date: 24/09/2013

Revision date: 01/05/2015

Revision No: 3

Section 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

Product name: ANISTEL FALCON ACTIVATOR SOLUTION

1.2. Relevant identified uses of the substance or mixture and uses advised against

Use of substance / mixture: To be used with Anistel Falcon Base solution. For professional use only. Uses advised

against: Uses other than the intended use of the product

1.3. Details of the supplier of the safety data sheet

Company name: Tristel Solutions Limited

Lynx Business Park

Fordham Road

Newmarket

Cambridgeshire

- CB8 7NY
- United Kingdom

Tel: +44 (0) 1638 721 500

- Fax: +44 (0) 1638 721 911
- Email: healthandsafety@tristel.com

1.4. Emergency telephone number

Emergency tel: +44 (0) 1638 721 500

(office hours only)

Section 2: Hazards identification

2.1. Classification of the substance or mixture

Classification under CLP: -: EUH032

Classification under CHIP: -: R32

Most important adverse effects: Contact with acids liberates very toxic gas.

2.2. Label elements

Label elements under CLP:

Hazard statements: EUH032: Contact with acids liberates very toxic gas.

2.3. Other hazards

PBT: This product is not identified as a PBT/vPvB substance.

ANISTEL FALCON ACTIVATOR SOLUTION

Section 3: Composition/information on ingredients

3.2. Mixtures

Hazardous ingredients:

SODIUM CHLORITE 100%

EINECS	CAS	CHIP Classification	CLP Classification	Percent
231-836-6	7758-19-2	- Eye Dam. 1: H318; Ox. Sol. 2: H272;		<1%
		Acute Tox. 4: H302; Acute Tox. 3: H311;		
		Skin Corr. 1B: H314; Aquatic Acute 1:		
			H400; STOT RE 2: H373; -: EUH032	

Section 4: First aid measures

4.1. Description of first aid measures

Skin contact: Wash immediately with plenty of soap and water.

Eye contact: Rinse eyes with water and seek medical advice if irritation persists.

Ingestion: Wash out mouth with water.

Inhalation: Move to fresh air in case of accidental inhalation of vapours.

4.2. Most important symptoms and effects, both acute and delayed

Skin contact: There may be mild irritation at the site of contact.

Eye contact: There may be irritation and redness.

Ingestion: There may be irritation of the throat.

Inhalation: There may be irritation of the throat with a feeling of tightness in the chest.

4.3. Indication of any immediate medical attention and special treatment needed

Immediate / special treatment: Not applicable.

Section 5: Fire-fighting measures

5.1. Extinguishing media

Extinguishing media: Suitable extinguishing media for the surrounding fire should be used. Use water spray

to cool containers.

5.2. Special hazards arising from the substance or mixture

Exposure hazards: In combustion emits toxic fumes.

5.3. Advice for fire-fighters

Advice for fire-fighters: Wear self-contained breathing apparatus. Wear protective clothing to prevent contact

with skin and eyes.

Section 6: Accidental release measures

ANISTEL FALCON ACTIVATOR SOLUTION

6.1. Personal precautions, protective equipment and emergency procedures

Personal precautions: Refer to section 8 of SDS for personal protection details.

6.2. Environmental precautions

Environmental precautions: Do not discharge into drains or rivers. Contain the spillage using bunding.

6.3. Methods and material for containment and cleaning up

Clean-up procedures: Absorb into dry earth or sand. Transfer to a closable, labelled salvage container for

disposal by an appropriate method.

6.4. Reference to other sections

Reference to other sections: Refer to section 8 of SDS. Refer to section 13 of SDS.

Section 7: Handling and storage

7.1. Precautions for safe handling

Handling requirements: Ensure there is sufficient ventilation of the area.

7.2. Conditions for safe storage, including any incompatibilities

Storage conditions: Store in cool, well ventilated area. Keep container tightly closed.

7.3. Specific end use(s)

Specific end use(s): To be used with Anistel Falcon Base solution. For professional use only.

Section 8: Exposure controls/personal protection

8.1. Control parameters

Hazardous ingredients:

SODIUM CHLORITE 100%

Workplace exposure limits:		cposure limits:	Respirable dust		
	State	8 hour TWA	15 min. STEL	8 hour TWA	15 min. STEL
	EU	-	0.41mg/m3	-	-

DNEL/PNEC Values

DNEL / PNEC No data available.

8.2. Exposure controls

Respiratory protection: Respiratory protection not required.

Hand protection: Protective gloves.

Eye protection: Safety glasses. Ensure eye bath is to hand.

Skin protection: Protective clothing.

Section 9: Physical and chemical properties

ANISTEL FALCON ACTIVATOR SOLUTION

9.1. Information on basic physical and chemical properties

State:	Liquid		
Colour:	Colourless		
Evaporation rate:	No data available.		
Oxidising:	No data available.		
Solubility in water:	No data available.		
Viscosity:	No data available.		
Boiling point/range℃:	No data available.	Melting point/range℃:	No data available.
Flammability limits %: lower:	No data available.	upper:	No data available.
Flash point ℃:	No data available.	Part.coeff. n-octanol/water:	No data available.
Autoflammability °C:	No data available.	Vapour pressure:	No data available.
Relative density:	1.000	pH:	10.0-11.0
VOC g/I:	No data available.		

9.2. Other information

Other information: No data available.

Section 10: Stability and reactivity

10.1. Reactivity

Reactivity: Stable under recommended transport or storage conditions.

10.2. Chemical stability

Chemical stability: Stable under normal conditions.

10.3. Possibility of hazardous reactions

Hazardous reactions: Hazardous reactions will not occur under normal transport or storage conditions.

Decomposition may occur on exposure to conditions or materials listed below.

10.4. Conditions to avoid

Conditions to avoid: Heat.

10.5. Incompatible materials

Materials to avoid: Strong oxidising agents. Strong acids.

10.6. Hazardous decomposition products

Haz. decomp. products: In combustion emits toxic fumes.

Section 11: Toxicological information

11.1. Information on toxicological effects

Toxicity values: No data available.

Symptoms / routes of exposure

Skin contact: There may be mild irritation at the site of contact.

Eye contact: There may be irritation and redness.

ANISTEL FALCON ACTIVATOR SOLUTION

 Page: 5

 Ingestion: There may be irritation of the throat.

 Inhalation: There may be irritation of the throat with a feeling of tightness in the chest.

 Section 12: Ecological information

 12.1. Toxicity

 Hazardous ingredients:

 SODIUM CHLORITE 100%

 Daphnia magna
 48H EC50
 0.29
 mg/l

 FISH
 96H LC50
 265-310
 mg/l

12.2. Persistence and degradability

Persistence and degradability: Biodegradable.

12.3. Bioaccumulative potential

Bioaccumulative potential: No bioaccumulation potential.

12.4. Mobility in soil

Mobility: Readily absorbed into soil. Not classified as environmentally hazardous.

12.5. Results of PBT and vPvB assessment

PBT identification: This product is not identified as a PBT/vPvB substance.

12.6. Other adverse effects

Other adverse effects: Negligible ecotoxicity.

Section 13: Disposal considerations

13.1. Waste treatment methods

NB: The user's attention is drawn to the possible existence of regional or national

regulations regarding disposal.

Section 14: Transport information

14.1. UN number

UN number: Not applicable

14.2. UN proper shipping name

Shipping name: NOT CLASSIFIED AS DANGEROUS IN THE MEANING OF TRANSPORT REGULATIONS.

14.3. Transport hazard class(es)

Transport class: Not applicable (Not+applicable)

14.4. Packing group

Packing group: Not applicable

ANISTEL FALCON ACTIVATOR SOLUTION

Page: 6

Marine pollutant: No

14.5. Environmental hazards

Environmentally hazardous: No

14.6. Special precautions for user

Special precautions: No special precautions.

Tunnel code: Not applicable

Transport category: Not applicable

IMDG seg. group: NOT APPLICABLE

14.7. Transport in bulk according to Annex II of MARPOL73/78 and the IBC Code

Transport in bulk: Not applicable

Section 15: Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

Specific regulations: This product has been classified in accordance with CLP and CHIP regulations and

compiled in accordance with Annex II of REACH.

15.2. Chemical Safety Assessment

Chemical safety assessment: A chemical safety assessment has not been carried out for the substance or the mixture by the supplier.

Section 16: Other information

Other information:This safety data sheet is prepared in accordance with Commission Regulation (EU) No 453/2010.* indicates text in the SDS which has changed since the last revision.Phrases used in s.2 and s.3:EUH032: Contact with acids liberates very toxic gas.H272: May intensify fire; oxidiser.H302: Harmful if swallowed.H311: Toxic in contact with skin.H314: Causes severe skin burns and eye damage.H318: Causes serious eye damage.H373: May cause damage to organs <or affected,="" all="" if="" known="" organs="" state=""> through prolonged or repeated exposure <state conclusively="" exposure="" if="" is="" it="" of="" proven="" route="" that<br=""></state>no other routes of exposure cause the hazard>.H400: Very toxic to aquatic life.R32: Contact with acids liberates very toxic gas.Legend to abbreviations:PNEC = predicted no effect levelDNEL = derived no effect level</or>	Other information			
453/2010.* indicates text in the SDS which has changed since the last revision.Phrases used in s.2 and s.3:EUH032: Contact with acids liberates very toxic gas.H272: May intensify fire; oxidiser.H302: Harmful if swallowed.H311: Toxic in contact with skin.H314: Causes severe skin burns and eye damage.H318: Causes serious eye damage.H373: May cause damage to organs <or affected,="" all="" if="" known="" organs="" state=""> through prolonged or repeated exposure <state conclusively="" exposure="" if="" is="" it="" of="" proven="" route="" that<br=""></state>no other routes of exposure cause the hazard>.H400: Very toxic to aquatic life.R32: Contact with acids liberates very toxic gas.PNEC = predicted no effect level</or>	Other information:	on: This safety data sheet is prepared in accordance with Commission Regulation (EU) No		
Phrases used in s.2 and s.3: EUH032: Contact with acids liberates very toxic gas. H272: May intensify fire; oxidiser. H302: Harmful if swallowed. H311: Toxic in contact with skin. H314: Causes severe skin burns and eye damage. H318: Causes serious eye damage. H373: May cause damage to organs <or affected,="" all="" if="" known="" organs="" state=""> through prolonged or repeated exposure <state conclusively="" exposure="" if="" is="" it="" of="" proven="" route="" td="" that<=""> no other routes of exposure cause the hazard>. H400: Very toxic to aquatic life. R32: Contact with acids liberates very toxic gas. Legend to abbreviations: PNEC = predicted no effect level</state></or>		453/2010.		
H272: May intensify fire; oxidiser.H302: Harmful if swallowed.H311: Toxic in contact with skin.H314: Causes severe skin burns and eye damage.H318: Causes serious eye damage.H373: May cause damage to organs <or affected,="" all="" if="" known="" organs="" state=""> throughprolonged or repeated exposure <state conclusively="" exposure="" if="" is="" it="" of="" proven="" route="" td="" that<="">no other routes of exposure cause the hazard>.H400: Very toxic to aquatic life.R32: Contact with acids liberates very toxic gas.Legend to abbreviations:PNEC = predicted no effect level</state></or>		* indicates text in the SDS which has changed since the last revision.		
H302: Harmful if swallowed. H311: Toxic in contact with skin. H314: Causes severe skin burns and eye damage. H318: Causes serious eye damage. H373: May cause damage to organs <or affected,="" all="" if="" known="" organs="" state=""> through prolonged or repeated exposure <state conclusively="" exposure="" if="" is="" it="" of="" proven="" route="" that<br="">no other routes of exposure cause the hazard>. H400: Very toxic to aquatic life. R32: Contact with acids liberates very toxic gas. PNEC = predicted no effect level</state></or>	Phrases used in s.2 and s.3:	EUH032: Contact with acids liberates very toxic gas.		
 H311: Toxic in contact with skin. H314: Causes severe skin burns and eye damage. H318: Causes serious eye damage. H373: May cause damage to organs <or affected,="" all="" if="" known="" organs="" state=""> through prolonged or repeated exposure <state cause="" conclusively="" exposure="" hazard="" if="" is="" it="" no="" of="" other="" proven="" route="" routes="" that="" the="">.</state></or> H400: Very toxic to aquatic life. R32: Contact with acids liberates very toxic gas. 		H272: May intensify fire; oxidiser.		
 H314: Causes severe skin burns and eye damage. H318: Causes serious eye damage. H373: May cause damage to organs <or affected,="" all="" if="" known="" organs="" state=""> through prolonged or repeated exposure <state cause="" conclusively="" exposure="" hazard="" if="" is="" it="" no="" of="" other="" proven="" route="" routes="" that="" the="">.</state></or> H400: Very toxic to aquatic life. R32: Contact with acids liberates very toxic gas. 		H302: Harmful if swallowed.		
H318: Causes serious eye damage. H373: May cause damage to organs <or affected,="" all="" if="" known="" organs="" state=""> through prolonged or repeated exposure <state conclusively="" exposure="" if="" is="" it="" of="" proven="" route="" that<br="">no other routes of exposure cause the hazard>. H400: Very toxic to aquatic life. R32: Contact with acids liberates very toxic gas. Legend to abbreviations: PNEC = predicted no effect level</state></or>		H311: Toxic in contact with skin.		
H373: May cause damage to organs <or affected,="" all="" if="" known="" organs="" state=""> through prolonged or repeated exposure <state conclusively="" exposure="" if="" is="" it="" of="" proven="" route="" that<br="">no other routes of exposure cause the hazard>. H400: Very toxic to aquatic life. R32: Contact with acids liberates very toxic gas. Legend to abbreviations: PNEC = predicted no effect level</state></or>		H314: Causes severe skin burns and eye damage.		
prolonged or repeated exposure <state conclusively="" exposure="" if="" is="" it="" of="" proven="" route="" that<br="">no other routes of exposure cause the hazard>. H400: Very toxic to aquatic life. R32: Contact with acids liberates very toxic gas. Legend to abbreviations: PNEC = predicted no effect level</state>		H318: Causes serious eye damage.		
no other routes of exposure cause the hazard>. H400: Very toxic to aquatic life. R32: Contact with acids liberates very toxic gas. Legend to abbreviations: PNEC = predicted no effect level		H373: May cause damage to organs <or affected,="" all="" if="" known="" organs="" state=""> through</or>		
H400: Very toxic to aquatic life. R32: Contact with acids liberates very toxic gas. Legend to abbreviations: PNEC = predicted no effect level		prolonged or repeated exposure <state conclusively="" exposure="" if="" is="" it="" of="" proven="" route="" th="" that<=""></state>		
R32: Contact with acids liberates very toxic gas. Legend to abbreviations: PNEC = predicted no effect level		no other routes of exposure cause the hazard>.		
Legend to abbreviations: PNEC = predicted no effect level		H400: Very toxic to aquatic life.		
		R32: Contact with acids liberates very toxic gas.		
DNEL = derived no effect level	Legend to abbreviations:	PNEC = predicted no effect level		
		DNEL = derived no effect level		
LD50 = median lethal dose		LD50 = median lethal dose		
LC50 = median lethal concentration		LC50 = median lethal concentration		

ANISTEL FALCON ACTIVATOR SOLUTION

Page: 7

EC50 = median effective concentration

IC50 = median inhibitory concentration

dw = dry weight

bw = body weight

cc = closed cup

oc = open cup

MUS = mouse

GPG = guinea pig

RBT = rabbit

HAM = hamster

HMN = human

MAM = mammal

PGN = pigeon

IVN = intravenous

SCU = subcutaneous

SKN = skin

DRM = dermal

OCC = ocular/corneal

PCP = phycico-chemical properties

Legal disclaimer: The above information is believed to be correct but does not purport to be all inclusive and shall be used only as a guide. This company shall not be held liable for any damage resulting from handling or from contact with the above product.