

ANISTEL HIGH LEVEL SURFACE DISINFECTANT (APPLE)

Page: 1

Compilation date: 19/01/2015

Revision date: 01/05/2015

Revision No: 2

Section 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

Product name: ANISTEL HIGH LEVEL SURFACE DISINFECTANT (APPLE)

1.2. Relevant identified uses of the substance or mixture and uses advised against

Use of substance / mixture: For the cleansing and disinfection of surfaces. For professional use only. Uses advised

against: Uses other than the intended use of the product

1.3. Details of the supplier of the safety data sheet

Company name: Tristel Solutions Limited

Lynx Business Park

Fordham Road

Newmarket

Cambridgeshire

- CB8 7NY
- United Kingdom

Tel: +44 (0) 1638 721 500

- Fax: +44 (0) 1638 721 911
- Email: healthandsafety@tristel.com

1.4. Emergency telephone number

Emergency tel: +44 (0) 1638 721 500

(office hours only)

Section 2: Hazards identification

2.1. Classification of the substance or mixture					
Classification under CLP:	Eye Dam. 1: H318; Aquatic Chronic 3: H412; Carc. 2: H351; Skin Irrit. 2: H315; Skin Sens.				
	1B: H317; STOT RE 2: H373				
Classification under CHIP:	Xn: R20; Xn: R40; Xi: R41; Sens.: R43; Xn: R48/20; -: R52/53				
Most important adverse effects:	Causes skin irritation. May cause an allergic skin reaction. Causes serious eye				
	damage. Suspected of causing cancer. May cause damage to organs through				
	prolonged or repeated exposure inhalation. Harmful to aquatic life with long lasting				
	effects.				

2.2. Label elements

Label elements under CLP:

Hazard statements: H315: Causes skin irritation.

H317: May cause an allergic skin reaction.

ANISTEL HIGH LEVEL SURFACE DISINFECTANT (APPLE)

H318: Causes serious eye damage.

H351: Suspected of causing cancer.

H373: May cause damage to organs through prolonged or repeated exposure

inhalation.

H412: Harmful to aquatic life with long lasting effects.

Signal words: Danger

Hazard pictograms: GHS05: Corrosion GHS07: Exclamation mark

GHS08: Health hazard



Precautionary statements: P260: Do not breathe mist/spray.

P280: Wear protective gloves/protective clothing/eye protection.

P303+361+353: IF ON SKIN (or hair): Remove immediately all contaminated clothing.

Rinse skin with water/shower.

P305+351+338: IF IN EYES: Rinse cautiously with water for several minutes. Remove

contact lenses, if present and easy to do. Continue rinsing.

P333+313: If skin irritation or rash occurs: Get medical advice.

2.3. Other hazards

PBT: This product is not identified as a PBT/vPvB substance.

Section 3: Composition/information on ingredients

3.2. Mixtures

Hazardous ingredients:

C9-C11 ALCOHOL ETHOXYLATE (6)

EINECS	CAS	CHIP Classification	CLP Classification	Percent
-	68439-46-3	-	Acute Tox. 4: H302; Eye Dam. 1: H318	1-10%

PROPAN-2-OL

20	0-661-7	67-63-0	-	Flam. Liq. 2: H225; Eye Irrit. 2: H319;	1-10%
				STOT SE 3: H336	

DIDECYLDIMETHYLAMMONIUM CHLORIDE

230-525-2	7173-51-5	-	Acute Tox. 4: H302; Skin Corr. 1B:	1-10%
			H314	

ANISTEL HIGH LEVEL SURFACE DISINFECTANT (APPLE)

Page: 3

POLYMERIC BIGUANIDE HYDROCHLORIDE

POLYMERIC BIC		RUCHLORIDE					
-	27083-27-8	-	Acute Tox. 4: H302; Acute Tox. 2: H330; Skin Sens. 1B: H317; Eye Dam. 1: H318; STOT RE 1: H372; Aquatic Acute 1: H400; Aquatic Chronic 1: H410; Carc. 2: H351	1-10%			
ALKYL(C12-16)E	IMETHYLBEN	IZYLAMMONIUM CHLORIDE					
270-325-2	68424-85-1	- Acute Tox. 4: H302; Skin Corr. 1B: H314; Aquatic Acute 1: H400					
2-T-BUTYLCYCL	YCLOHEXANOL ACETATE						
201-828-7	88-41-5	-	Skin Irrit. 2: H315; Eye Irrit. 2: H319; STOT SE 3: H335	<1%			
ction 4: First aid	measures						
4.1. Description of	f first aid mea	sures					
	kin contact:	Remove all contaminated clothes and foot	twear immediately unless stuck to skin. Wash				
			. If skin irritation or rash occurs: Get medical				
		advice.					
	Eye contact:	Bathe the eye with running water for 15 m	inutes. Consult a doctor.				
Ingestion: Wash out mouth with water. Do not induce vomiting. Consult a doctor.							
Inhalation: Remove casualty from exposure ensuring one's own safety whilst doing so. Consult a							
doctor.							
4.2. Most importa	nt symptoms	and effects, both acute and delayed					
Skin contact: There may be irritation and redness at the site of contact.							
	Eye contact:	There may be irritation and redness. The	eyes may water profusely.				
	Ingestion:	There may be soreness and redness of th	e mouth and throat. Nausea and stomach				
		pain may occur. There may be vomiting.					
	Inhalation:	There may be irritation of the throat with a	feeling of tightness in the chest.				
Delayed / immed	liate effects:	Immediate effects can be expected after s	hort-term exposure.				
4.3. Indication of any immediate medical attention and special treatment needed							
mmediate / specia	mediate / special treatment: Eye bathing equipment should be available on the premises.						
ction 5: Fire-figh	ting measu	es					
5.1. Extinguishing	media						
Fxtinguis	hing media:	Suitable extinguishing media for the surrou	unding fire should be used. Use water spray				
Extinguis		to cool containers.	and in the choice be about obe water opidy				
5.2. Special hazar	ds arising fro	m the substance or mixture					
-							
Exposure hazards: In combustion emits toxic fumes.							

ANISTEL HIGH LEVEL SURFACE DISINFECTANT (APPLE)

		•
5.3. Advice for fire-fighters		
Advice for fire-fighters:	Wear self-contained breathing apparatus. Wear protective clothing to prevent contact	
	with skin and eyes.	
Section 6: Accidental release n	neasures	
6.1. Personal procesitions, prot	active equipment and emergency procedures	
6.1. Personal precautions, prot	ective equipment and emergency procedures	
Personal precautions:	Refer to section 8 of SDS for personal protection details. If outside do not approach from	
	downwind. Mark out the contaminated area with signs and prevent access to	
	unauthorised personnel. Turn leaking containers leak-side up to prevent the escape of	
	liquid.	
6.2. Environmental precautions	3	
Environmental precautions:	Do not discharge into drains or rivers. Contain the spillage using bunding.	
6.3. Methods and material for c	containment and cleaning up	
Clean-up procedures:	Clean-up should be dealt with only by qualified personnel familiar with the specific	
	substance. Absorb into dry earth or sand. Transfer to a closable, labelled salvage	
	container for disposal by an appropriate method.	
6.4. Reference to other section	S	
Reference to other sections:	Refer to section 8 of SDS. Refer to section 13 of SDS.	
Section 7: Handling and storage	ye	
7.1. Precautions for safe handl	ing	
Handling requirements:	Avoid direct contact with the substance. Ensure there is sufficient ventilation of the area.	
	Avoid the formation or spread of mists in the air.	
7.2. Conditions for safe storage	e, including any incompatibilities	
Storage conditions:	Store in cool, well ventilated area. Keep container tightly closed.	
Suitable packaging:	Must only be kept in original packaging.	
7.3. Specific end use(s)		
Specific end use(s):	For the cleansing and disinfection of surfaces. For professional use only.	
Section 8: Exposure controls/p	personal protection	
8.1. Control parameters		
Hazardous ingredients: PROPAN-2-OL		

ANISTEL HIGH LEVEL SURFACE DISINFECTANT (APPLE)

Page: 5

V	Vorkplace ex	cposure limits:			Respirable dust	
	State	8 hour T	WA	15 min. STEL	8 hour TWA	15 min. STEL
	UK	g	999 mg/m3	1250 mg/m3	-	-
	EL/PNEC Va	luos				
DN	EL/FINEC Va	liues				
		DNEL / PNEC	No data av	vailable.		
8.2	. Exposure o	ontrols				
	Enginee	ring measures:	Ensure the	ere is sufficient ventilation of t	he area.	
	Respirat	ory protection:	Self-contai	ned breathing apparatus mu	st be available in case of emerge	ncy.
	Ha	and protection:	Protective	gloves.		
	I	Eye protection:	Safety glas	sses. Ensure eye bath is to h	and.	
	S	kin protection:	Protective	clothing.		
Section	on 9: Physi	cal and chemi	cal proper	ties		
0.1	Information	an haaia nhuai	ical and ab	amiaal avanartiaa		
9.1	. mormation	i on basic physi	ical and che	emical properties		
		State:	Liquid			
		Colour:	Green			
		Odour:	Apple			
	Ev	aporation rate:	As water			
		Oxidising:	No data av	vailable.		
	Solu	ubility in water:	Soluble			
	A	Also soluble in:	Water			
		Viscosity:	No data av	vailable.		
	Boiling	point/range °C:	110		Melting point/range °C	No data available.
FI	ammability I	imits %: lower:	No data av	vailable.	upper	No data available.
		Flash point °C:	No data av	vailable.	Part.coeff. n-octanol/water:	No data available.
	Auto	flammability°C:	No data av	vailable.	Vapour pressure	No data available.
	R	elative density:	Approx 1.0	000	pH	4.5-6.5
		VOC g/I:	No data av	vailable.		
9.2	. Other infor	mation				
	Oth	er information:	No data av	vailable.		
Sectio	on 10: Stab	ility and reacti	ivity			
10.	1. Reactivity	,				

Reactivity: Stable under recommended transport or storage conditions.

10.2. Chemical stability

Chemical stability: Stable under normal conditions.

ANISTEL HIGH LEVEL SURFACE DISINFECTANT (APPLE)

10.3. Possibility of hazardous reactions

Hazardous reactions: Hazardous reactions will not occur under normal transport or storage conditions.

Decomposition may occur on exposure to conditions or materials listed below.

10.4. Conditions to avoid

Conditions to avoid: Heat. Hot surfaces. Flames.

10.5. Incompatible materials

Materials to avoid: Strong oxidising agents. Strong acids.

10.6. Hazardous decomposition products

Haz. decomp. products: In combustion emits toxic fumes.

Section 11: Toxicological information

11.1. Information on toxicological effects

Hazardous ingredients:

C9-C11 ALCOHOL ETHOXYLATE (6)

ORAL RAT LD50	200-2000	mg/kg
---------------	----------	-------

PROPAN-2-OL

IVN	RAT	LD50	1088	mg/kg
ORL	MUS	LD50	3600	mg/kg
ORL	RAT	LD50	5045	mg/kg
SCU	MUS	LDLO	6	gm/kg

DIDECYLDIMETHYLAMMONIUM CHLORIDE

IPR	RAT	LD50	45	mg/kg
ORL	MUS	LD50	268	mg/kg

POLYMERIC BIGUANIDE HYDROCHLORIDE

ORAL RAT LD50 >2000 mg/kg	
---	--

Relevant effects for mixture:

Effect	Route	Basis
Acute toxicity (harmful)	INH	Hazardous: calculated
Irritation	OPT	Hazardous: calculated
Sensitisation	DRM	Hazardous: calculated
Repeated dose toxicity	INH	Hazardous: calculated

Symptoms / routes of exposure

Skin contact: There may be irritation and redness at the site of contact.

ANISTEL HIGH LEVEL SURFACE DISINFECTANT (APPLE)

Eye contact:	There may be irritation and redness. The eyes may water profusely.		
Ingestion:	There may be soreness and redness of the mouth and throat. Nausea and stomach		

pain may occur. There may be vomiting.

Inhalation: There may be irritation of the throat with a feeling of tightness in the chest.

Delayed / immediate effects: Immediate effects can be expected after short-term exposure.

Section 12: Ecological information

12.1. Toxicity

Hazardous ingredients:

C9-C11 ALCOHOL ETHOXYLATE (6)

DAPHNIA	48H EC50	1-10	mg/l
FISH	96H LC50	1-10	mg/l

ALKYL(C12-16)DIMETHYLBENZYLAMMONIUM CHLORIDE

Daphnia magna48H EC500.016mg/l

12.2. Persistence and degradability

Persistence and degradability: Biodegradable.

12.3. Bioaccumulative potential

Bioaccumulative potential: No known adverse effects from normal use

12.4. Mobility in soil

Mobility: Readily absorbed into soil.

12.5. Results of PBT and vPvB assessment

PBT identification: This product is not identified as a PBT/vPvB substance.

12.6. Other adverse effects

Other adverse effects: Harmful to aquatic organisms.

Section 13: Disposal considerations

13.1. Waste treatment methods

Disposal operations: Transfer to a suitable container and arrange for collection by specialised disposal

company.

NB: The user's attention is drawn to the possible existence of regional or national regulations regarding disposal.

Section 14: Transport information

14.1. UN number

UN number: Not applicable

ANISTEL HIGH LEVEL SURFACE DISINFECTANT (APPLE)

14.2. UN proper shipping name

Shipping name: NOT CLASSIFIED AS DANGEROUS IN THE MEANING OF TRANSPORT REGULATIONS.

14.3. Transport hazard class(es)

Transport class: Not applicable (Not+applicable)

14.4. Packing group

Packing group: Not applicable

14.5. Environmental hazards

Environmentally hazardous: No

Marine pollutant: No

14.6. Special precautions for user

Special precautions: No special precautions.

Tunnel code: Not applicable

Transport category: Not applicable

IMDG seg. group: NOT APPLICABLE

14.7. Transport in bulk according to Annex II of MARPOL73/78 and the IBC Code

Transport in bulk: Not applicable

Section 15: Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

Specific regulations: This product has been classified in accordance with CLP and CHIP regulations and

compiled in accordance with Annex II of REACH.

15.2. Chemical Safety Assessment

Chemical safety assessment: A chemical safety assessment has not been carried out for the substance or the mixture

by the supplier.

Section 16: Other information

Other information This safety data sheet is prepared in accordance with Commission Regulation (EU) No 453/2010. * indicates text in the SDS which has changed since the last revision. Phrases used in s.2 and s.3: H225: Highly flammable liquid and vapour. H302: Harmful if swallowed. H314: Causes severe skin burns and eye damage. H315: Causes skin irritation. H317: May cause an allergic skin reaction. H318: Causes serious eye damage. H319: Causes serious eye irritation. H319: Causes serious eye irritation. H319: Causes serious eye irritation.

ANISTEL HIGH LEVEL SURFACE DISINFECTANT (APPLE)

	H335: May cause respiratory irritation.
	H336: May cause drowsiness or dizziness.
	H351: Suspected of causing cancer <state conclusively="" exposure="" if="" is="" it="" of="" proven<="" route="" th=""></state>
	that no other routes of exposure cause the hazard>.
	H372: Causes damage to organs <or affected,="" all="" if="" known="" organs="" state=""> through</or>
	prolonged or repeated exposure <state conclusively="" exposure="" if="" is="" it="" of="" proven="" route="" th="" that<=""></state>
	no other routes of exposure cause the hazard>.
	H373: May cause damage to organs <or affected,="" all="" if="" known="" organs="" state=""> through</or>
	prolonged or repeated exposure <state conclusively="" exposure="" if="" is="" it="" of="" proven="" route="" th="" that<=""></state>
	no other routes of exposure cause the hazard>.
	H400: Very toxic to aquatic life.
	H410: Very toxic to aquatic life with long lasting effects.
	H412: Harmful to aquatic life with long lasting effects.
	R20: Harmful by inhalation.
	R40: Limited evidence of a carcinogenic effect.
	R41: Risk of serious damage to eyes.
	R43: May cause sensitisation by skin contact.
	R48/20: Harmful: danger of serious damage to health by prolonged exposure through
	inhalation.
	R52/53: Harmful to aquatic organisms, may cause long-term adverse effects in the
Legend to abbreviations:	aquatic environment.
	PNEC = predicted no effect level
	DNEL = derived no effect level
	LD50 = median lethal dose
	LC50 = median lethal concentration
	EC50 = median effective concentration
	IC50 = median inhibitory concentration
	dw = dry weight
	bw = body weight
	cc = closed cup
	oc = open cup
	MUS = mouse
	GPG = guinea pig
	RBT = rabbit
	HAM = hamster
	HMN = human
	MAM = mammal
	PGN = pigeon
	IVN = intravenous
	SCU = subcutaneous

ANISTEL HIGH LEVEL SURFACE DISINFECTANT (APPLE)

 SKN = skin

 DRM = dermal

 OCC = ocular/corneal

 PCP = phycico-chemical properties

 Legal disclaimer:

 The above information is believed to be correct but does not purport to be all inclusive and shall be used only as a guide. This company shall not be held liable for any damage resulting from handling or from contact with the above product.