

ANISTEL HIGH LEVEL SURFACE DISINFECTANT (EUCALYPTUS)

Page: 1

Compilation date: 20/01/2015

Revision date: 01/05/2015

Revision No: 2

Section 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

Product name: ANISTEL HIGH LEVEL SURFACE DISINFECTANT (EUCALYPTUS)

1.2. Relevant identified uses of the substance or mixture and uses advised against

Use of substance / mixture: For the cleansing and disinfection of surfaces. For professional use only. Uses advised

against: Uses other than the intended use of the product

1.3. Details of the supplier of the safety data sheet

Company name: Tristel Solutions Limited

Lynx Business Park

Fordham Road

Newmarket

Cambridgeshire

CB8 7NY

United Kingdom

Tel: +44 (0) 1638 721 500

Fax: +44 (0) 1638 721 911

Email: healthandsafety@tristel.com

1.4. Emergency telephone number

Emergency tel: +44 (0) 1638 721 500

(office hours only)

Section 2: Hazards identification

2.1. Classification of the substance or mixture				
Classification under CLP:	Eye Dam. 1: H318; Aquatic Chronic 3: H412; Carc. 2: H351; Skin Irrit. 2: H315; Skin Sens.			
	1B: H317; STOT RE 2: H373			
Classification under CHIP: Xn: R20; Xn: R40; Xi: R41; Sens.: R43; Xn: R48/20; -: R52/53				
Most important adverse effects: Causes skin irritation. May cause an allergic skin reaction. Causes serious eye				
	damage. Suspected of causing cancer. May cause damage to organs through			
	prolonged or repeated exposure inhalation. Harmful to aquatic life with long lasting			
	effects.			

2.2. Label elements

Label elements under CLP:

Hazard statements: H315: Causes skin irritation.

H317: May cause an allergic skin reaction.

ANISTEL HIGH LEVEL SURFACE DISINFECTANT (EUCALYPTUS)

H318: Causes serious eye damage.

H351: Suspected of causing cancer.

H373: May cause damage to organs through prolonged or repeated exposure

inhalation.

H412: Harmful to aquatic life with long lasting effects.

Signal words: Danger

Hazard pictograms: GHS05: Corrosion GHS07: Exclamation mark

GHS08: Health hazard



Precautionary statements: P260: Do not breathe mist/spray.

P280: Wear protective gloves/protective clothing/eye protection.

P302+352: IF ON SKIN: Wash with plenty of soap and water.

P305+351+338: IF IN EYES: Rinse cautiously with water for several minutes. Remove

contact lenses, if present and easy to do. Continue rinsing.

P333+313: If skin irritation or rash occurs: Get medical advice.

2.3. Other hazards

PBT: This product is not identified as a PBT/vPvB substance.

Section 3: Composition/information on ingredients

3.2. Mixtures

Hazardous ingredients:

C9-C11 ALCOHOL ETHOXYLATE (6)

EINECS	CAS	CHIP Classification	CLP Classification	Percent
-	68439-46-3	-	Acute Tox. 4: H302; Eye Dam. 1: H318	1-10%

PROPAN-2-OL

200-661-7	67-63-0	-	Flam. Liq. 2: H225; Eye Irrit. 2: H319;	1-10%
			STOT SE 3: H336	

DIDECYLDIMETHYLAMMONIUM CHLORIDE

230-525-2	7173-51-5	-	Acute Tox. 4: H302; Skin Corr. 1B:	1-10%
			H314	

[cont...]

ANISTEL HIGH LEVEL SURFACE DISINFECTANT (EUCALYPTUS)

Page: 3

POLYMERIC BIGUANIDE HYDROCHLORIDE

-	27083-27-8	-	Acute Tox. 4: H302; Acute Tox. 2: H330;	1-10%
			Skin Sens. 1B: H317; Eye Dam. 1:	
			H318; STOT RE 1: H372; Aquatic	
			Acute 1: H400; Aquatic Chronic 1:	
			H410; Carc. 2: H351	

ALKYL(C12-16)DIMETHYLBENZYLAMMONIUM CHLORIDE

270-325-2	68424-85-1	-	Acute Tox. 4: H302; Skin Corr. 1B:	1-10%
			H314; Aquatic Acute 1: H400	

Section 4: First aid measures

4.1. Description of first aid measures Skin contact: Remove all contaminated clothes and footwear immediately unless stuck to skin. Wash immediately with plenty of soap and water. If skin irritation or rash occurs: Get medical advice. Eye contact: Bathe the eye with running water for 15 minutes. Consult a doctor. Ingestion: Wash out mouth with water. Do not induce vomiting. Consult a doctor. Inhalation: Remove casualty from exposure ensuring one's own safety whilst doing so. Consult a doctor. 4.2. Most important symptoms and effects, both acute and delayed Skin contact: There may be irritation and redness at the site of contact. Eye contact: Ingestion: There may be irritation and redness. The eyes may water profusely. Ingestion: There may be soreness and redness of the mouth and throat. Nausea and stomach pain may occur. There may be vomiting. Inhalation: There may be irritation of the throat with a feeling of tightness in the chest.

Delayed / immediate effects: Immediate effects can be expected after short-term exposure.

4.3. Indication of any immediate medical attention and special treatment needed

Immediate / special treatment: Eye bathing equipment should be available on the premises.

Section 5: Fire-fighting measures

5.1. Extinguishing media

Extinguishing media: Suitable extinguishing media for the surrounding fire should be used. Use water spray

to cool containers.

5.2. Special hazards arising from the substance or mixture

Exposure hazards: In combustion emits toxic fumes.

5.3. Advice for fire-fighters

Advice for fire-fighters: Wear self-contained breathing apparatus. Wear protective clothing to prevent contact

with skin and eyes.

ANISTEL HIGH LEVEL SURFACE DISINFECTANT (EUCALYPTUS)

Page: 4

Section 6: Accidental release measures 6.1. Personal precautions, protective equipment and emergency procedures Personal precautions: Refer to section 8 of SDS for personal protection details. If outside do not approach from downwind. Mark out the contaminated area with signs and prevent access to unauthorised personnel. Turn leaking containers leak-side up to prevent the escape of liquid. 6.2. Environmental precautions Environmental precautions: Do not discharge into drains or rivers. Contain the spillage using bunding. 6.3. Methods and material for containment and cleaning up Clean-up procedures: Clean-up should be dealt with only by qualified personnel familiar with the specific substance. Absorb into dry earth or sand. Transfer to a closable, labelled salvage container for disposal by an appropriate method. 6.4. Reference to other sections **Reference to other sections:** Refer to section 8 of SDS. Refer to section 13 of SDS. Section 7: Handling and storage 7.1. Precautions for safe handling Handling requirements: Avoid direct contact with the substance. Ensure there is sufficient ventilation of the area. Avoid the formation or spread of mists in the air. 7.2. Conditions for safe storage, including any incompatibilities Storage conditions: Store in cool, well ventilated area. Keep container tightly closed. Suitable packaging: Must only be kept in original packaging. 7.3. Specific end use(s) Specific end use(s): For the cleansing and disinfection of surfaces. For professional use only. Section 8: Exposure controls/personal protection 8.1. Control parameters Hazardous ingredients: **PROPAN-2-OL** Workplace exposure limits: Respirable dust State 8 hour TWA 15 min. STEL 8 hour TWA 15 min. STEL UK 999 mg/m3 1250 mg/m3 _

DNEL/PNEC Values

DNEL / PNEC No data available.

ANISTEL HIGH LEVEL SURFACE DISINFECTANT (EUCALYPTUS)

Page: 5

8.2. Exposure controls					
Engineering measures:	Ensure there is sufficient ventilation of the area.				
Respiratory protection:	Self-contained breathing apparatus must be available in case of emergency.				
Hand protection:	Protective gloves.				
Eye protection:	Safety glasses. Ensure eye bath is to hand.				
Skin protection:	Protective clothing.				
Section 9: Physical and chemi	cal properties				
9.1. Information on basic physi	cal and chemical properties				
State:	Liquid				
Colour:	Blue				
Odour:	Eucalyptus				
Evaporation rate:	No data available.				
Oxidising:	No data available.				
Solubility in water:	Soluble				
Also soluble in:	Water				
Viscosity:	No data available.				
Boiling point/range °C:	110 Melting point/ra	nge℃:	No data available.		
Flammability limits %: lower:	No data available.	upper:	No data available.		
Flash point °C:	No data available. Part.coeff. n-octanol	/water:	No data available.		
Autoflammability°C:	No data available. Vapour pre	essure:	No data available.		
Relative density:	Approx 1.000	pH:	4.5-6.5		
VOC g/I:	No data available.				

9.2. Other information

Other information: No data available.

Section 10: Stability and reactivity

10.1. Reactivity

Reactivity: Stable under recommended transport or storage conditions.

10.2. Chemical stability

Chemical stability: Stable under normal conditions.

10.3. Possibility of hazardous reactions

Hazardous reactions: Hazardous reactions will not occur under normal transport or storage conditions.

Decomposition may occur on exposure to conditions or materials listed below.

10.4. Conditions to avoid

Conditions to avoid: Heat. Hot surfaces. Flames.

ANISTEL HIGH LEVEL SURFACE DISINFECTANT (EUCALYPTUS)

Page: 6

10.5. Incompatible materials

Materials to avoid: Strong oxidising agents. Strong acids.

10.6. Hazardous decomposition products

Haz. decomp. products: In combustion emits toxic fumes.

Section 11: Toxicological information

11.1. Information on toxicological effects

Hazardous ingredients:

C9-C11 ALCOHOL ETHOXYLATE (6)

ORAL RAT LD50	200-2000	mg/kg
---------------	----------	-------

PROPAN-2-OL

IVN	RAT	LD50	1088	mg/kg
ORL	MUS	LD50	3600	mg/kg
ORL	RAT	LD50	5045	mg/kg
SCU	MUS	LDLO	6	gm/kg

DIDECYLDIMETHYLAMMONIUM CHLORIDE

IPR	RAT	LD50	45	mg/kg
ORL	MUS	LD50	268	mg/kg

POLYMERIC BIGUANIDE HYDROCHLORIDE

ORAL RAT	LD50	>2000	mg/kg
----------	------	-------	-------

Relevant effects for mixture:

Effect	Route	Basis
Acute toxicity (harmful)	INH	Hazardous: calculated
Irritation	OPT	Hazardous: calculated
Sensitisation	DRM	Hazardous: calculated
Repeated dose toxicity	INH	Hazardous: calculated

Symptoms / routes of exposure

Skin contact: There may be irritation and redness at the site of contact.
Eye contact: There may be irritation and redness. The eyes may water profusely.
Ingestion: There may be soreness and redness of the mouth and throat. Nausea and stomach pain may occur. There may be vomiting.
Inhalation: There may be irritation of the throat with a feeling of tightness in the chest.

Delayed / **immediate effects:** Immediate effects can be expected after short-term exposure.

ANISTEL HIGH LEVEL SURFACE DISINFECTANT (EUCALYPTUS)

Page: 7

Section 12: Ecological information 12.1. Toxicity Hazardous ingredients: **C9-C11 ALCOHOL ETHOXYLATE (6)** DAPHNIA 48H EC50 1-10 mg/l FISH 96H LC50 1-10 mg/l ALKYL(C12-16)DIMETHYLBENZYLAMMONIUM CHLORIDE Daphnia magna 48H EC50 0.016 mg/l 12.2. Persistence and degradability Persistence and degradability: Biodegradable. 12.3. Bioaccumulative potential Bioaccumulative potential: No known adverse effects from normal use 12.4. Mobility in soil Mobility: Readily absorbed into soil. 12.5. Results of PBT and vPvB assessment **PBT identification:** This product is not identified as a PBT/vPvB substance. 12.6. Other adverse effects Other adverse effects: Harmful to aquatic organisms. Section 13: Disposal considerations 13.1. Waste treatment methods Disposal operations: Transfer to a suitable container and arrange for collection by specialised disposal company. NB: The user's attention is drawn to the possible existence of regional or national regulations regarding disposal. Section 14: Transport information 14.1. UN number UN number: No applicable 14.2. UN proper shipping name Shipping name: NOT CLASSIFIED AS DANGEROUS IN THE MEANING OF TRANSPORT REGULATIONS. 14.3. Transport hazard class(es)

Transport class: Not applicable (Not+applicable)

ANISTEL HIGH LEVEL SURFACE DISINFECTANT (EUCALYPTUS)

	Page:
14.4. Packing group	
Packing group:	Not applicable
14.5. Environmental hazards	
Environmentally hazardous:	No Marine pollutant: No
14.6. Special precautions for us	ser
Special precautions:	No special precautions.
Tunnel code:	
Transport category:	Not applicable
IMDG seg. group:	NOT APPLICABLE
14.7. Transport in bulk accordin	ng to Annex II of MARPOL73/78 and the IBC Code
Transport in bulk:	Not applicable
Section 15: Regulatory informa	
15.1. Safety, health and environ	mental regulations/legislation specific for the substance or mixture
Specific regulations:	This product has been classified in accordance with CLP and CHIP regulations and
	compiled in accordance with Annex II of REACH.
15.2. Chemical Safety Assessm	ent
Chemical safety assessment:	A chemical safety assessment has not been carried out for the substance or the mixture
	by the supplier.
Section 16: Other information	
Other information	
Other Information	
Other information:	This safety data sheet is prepared in accordance with Commission Regulation (EU) No
	453/2010.
	* indicates text in the SDS which has changed since the last revision.
Phrases used in s.2 and s.3:	H225: Highly flammable liquid and vapour.
	H302: Harmful if swallowed.
	H314: Causes severe skin burns and eye damage.
	H314: Causes severe skin burns and eye damage. H315: Causes skin irritation.
	H314: Causes severe skin burns and eye damage. H315: Causes skin irritation. H317: May cause an allergic skin reaction.
	H314: Causes severe skin burns and eye damage. H315: Causes skin irritation. H317: May cause an allergic skin reaction. H318: Causes serious eye damage.
	H314: Causes severe skin burns and eye damage. H315: Causes skin irritation. H317: May cause an allergic skin reaction.
	 H314: Causes severe skin burns and eye damage. H315: Causes skin irritation. H317: May cause an allergic skin reaction. H318: Causes serious eye damage. H319: Causes serious eye irritation.
	H314: Causes severe skin burns and eye damage. H315: Causes skin irritation. H317: May cause an allergic skin reaction. H318: Causes serious eye damage. H319: Causes serious eye irritation. H330: Fatal if inhaled.
	 H314: Causes severe skin burns and eye damage. H315: Causes skin irritation. H317: May cause an allergic skin reaction. H318: Causes serious eye damage. H319: Causes serious eye irritation. H330: Fatal if inhaled. H336: May cause drowsiness or dizziness.
	 H314: Causes severe skin burns and eye damage. H315: Causes skin irritation. H317: May cause an allergic skin reaction. H318: Causes serious eye damage. H319: Causes serious eye irritation. H330: Fatal if inhaled. H336: May cause drowsiness or dizziness. H351: Suspected of causing cancer <state conclusively="" exposure="" if="" is="" it="" li="" of="" proven<="" route=""> </state>

ANISTEL HIGH LEVEL SURFACE DISINFECTANT (EUCALYPTUS)

		Page:	9
	no other routes of exposure cause the hazard>.		
	H373: May cause damage to organs <or affected,="" all="" if="" known="" organs="" state=""> through</or>		
	prolonged or repeated exposure <state conclusively="" exposure="" if="" is="" it="" of="" proven="" route="" td="" that<=""><td></td><td></td></state>		
	no other routes of exposure cause the hazard>.		
	H400: Very toxic to aquatic life.		
	H410: Very toxic to aquatic life with long lasting effects.		
	H412: Harmful to aquatic life with long lasting effects.		
	R20: Harmful by inhalation.		
	R40: Limited evidence of a carcinogenic effect.		
	R41: Risk of serious damage to eyes.		
	R43: May cause sensitisation by skin contact.		
	R48/20: Harmful: danger of serious damage to health by prolonged exposure through		
	inhalation.		
	R52/53: Harmful to aquatic organisms, may cause long-term adverse effects in the		
	aquatic environment.		
Legend to abbreviations:	PNEC = predicted no effect level		
	DNEL = derived no effect level		
	LD50 = median lethal dose		
	LC50 = median lethal concentration		
	EC50 = median effective concentration		
	IC50 = median inhibitory concentration		
	dw = dry weight		
	bw = body weight		
	cc = closed cup		
	oc = open cup		
	MUS = mouse		
	GPG = guinea pig		
	RBT = rabbit		
	HAM = hamster		
	HMN = human		
	MAM = mammal		
	PGN = pigeon		
	IVN = intravenous		
	SCU = subcutaneous		
	SKN = skin		
	DRM = dermal		
	OCC = ocular/corneal		
	PCP = phycico-chemical properties		
Legal disclaimer:	The above information is believed to be correct but does not purport to be all inclusive		
	and shall be used only as a guide. This company shall not be held liable for any		
	damage resulting from handling or from contact with the above product.	[final pag	ge]