

ANISTEL HIGH LEVEL SURFACE DISINFECTANT (LAVENDER)

Page: 1

Compilation date: 20/01/2015

Revision date: 01/05/2015

Revision No: 2

Section 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

Product name: ANISTEL HIGH LEVEL SURFACE DISINFECTANT (LAVENDER)

1.2. Relevant identified uses of the substance or mixture and uses advised against

Use of substance / mixture: For the cleansing and disinfection of surfaces. For professional use only. Uses advised

against: Uses other than the intended use of the product

1.3. Details of the supplier of the safety data sheet

Company name: Tristel Solutions Limited

Lynx Business Park
Fordham Road
Newmarket

Cambridgeshire

CB8 7NY

United Kingdom

Tel: +44 (0) 1638 721 500 **Fax:** +44 (0) 1638 721 911

Email: healthandsafety@tristel.com

1.4. Emergency telephone number

Emergency tel: +44 (0) 1638 721 500

(office hours only)

Section 2: Hazards identification

2.1. Classification of the substance or mixture

Classification under CLP: Eye Dam. 1: H318; Aquatic Chronic 3: H412; Carc. 2: H351; Skin Irrit. 2: H315; Skin Sens.

1B: H317; STOT RE 2: H373

Classification under CHIP: Xn: R20; Xn: R40; Xi: R41; Sens.: R43; Xn: R48/20; -: R52/53

Most important adverse effects: Causes skin irritation. May cause an allergic skin reaction. Causes serious eye

damage. Suspected of causing cancer. May cause damage to organs through

prolonged or repeated exposure inhalation. Harmful to aquatic life with long lasting

effects.

2.2. Label elements

Label elements under CLP:

Hazard statements: H315: Causes skin irritation.

H317: May cause an allergic skin reaction.

ANISTEL HIGH LEVEL SURFACE DISINFECTANT (LAVENDER)

Page: 2

H318: Causes serious eye damage.

H351: Suspected of causing cancer.

H373: May cause damage to organs through prolonged or repeated exposure

inhalation.

H412: Harmful to aquatic life with long lasting effects.

Signal words: Danger

Hazard pictograms: GHS05: Corrosion

GHS07: Exclamation mark GHS08: Health hazard







Precautionary statements: P260: Do not breathe mist/spray.

P280: Wear protective gloves/protective clothing/eye protection. P302+352: IF ON SKIN: Wash with plenty of soap and water.

P305+351+338: IF IN EYES: Rinse cautiously with water for several minutes. Remove

contact lenses, if present and easy to do. Continue rinsing. P333+313: If skin irritation or rash occurs: Get medical advice.

2.3. Other hazards

PBT: This product is not identified as a PBT/vPvB substance.

Section 3: Composition/information on ingredients

3.2. Mixtures

Hazardous ingredients:

C9-C11 ALCOHOL ETHOXYLATE (6)

EINECS	CAS	CHIP Classification	CLP Classification	Percent
-	68439-46-3	-	Acute Tox. 4: H302; Eye Dam. 1: H318	1-10%
PROPAN-2-OL				
200-661-7	67-63-0	_	Flam Lig 2: H225: Eve Irrit 2: H319:	1-10%

STOT SE 3: H336

DIDECYLDIMETHYLAMMONIUM CHLORIDE

230-525-2	7173-51-5	-	Acute Tox. 4: H302; Skin Corr. 1B:	1-10%
			H314	

ANISTEL HIGH LEVEL SURFACE DISINFECTANT (LAVENDER)

Page: 3

POLYMERIC BIGUANIDE HYDROCHLORIDE

-	27083-27-8	-	Acute Tox. 4: H302; Acute Tox. 2: H330; Skin Sens. 1B: H317; Eye Dam. 1: H318; STOT RE 1: H372; Aquatic Acute 1: H400; Aquatic Chronic 1: H410; Carc. 2: H351	1-10%
ALKYL(C12-1	6)DIMETHYLBENZ	YLAMMONIUM CHLORIDE		
270-325-2	68424-85-1	-	Acute Tox. 4: H302; Skin Corr. 1B: H314; Aquatic Acute 1: H400	1-10%
2-T-BUTYLCY	CLOHEXANOL A	DETATE		
201-828-7	88-41-5	-	Skin Irrit. 2: H315; Eye Irrit. 2: H319; STOT SE 3: H335	<1%

Section 4: First aid measures

4.1. Description of first aid measures

Skin contact: Remove all contaminated clothes and footwear immediately unless stuck to skin. Wash

immediately with plenty of soap and water. If skin irritation or rash occurs: Get medical

advice.

Eye contact: Bathe the eye with running water for 15 minutes. Consult a doctor.

Ingestion: Wash out mouth with water. Do not induce vomiting. Consult a doctor.

Inhalation: Remove casualty from exposure ensuring one's own safety whilst doing so. Consult a

doctor.

4.2. Most important symptoms and effects, both acute and delayed

Skin contact: There may be irritation and redness at the site of contact.

Eye contact: There may be irritation and redness. The eyes may water profusely.

Ingestion: There may be soreness and redness of the mouth and throat. Nausea and stomach

pain may occur. There may be vomiting.

Inhalation: There may be irritation of the throat with a feeling of tightness in the chest.

Delayed / immediate effects: Immediate effects can be expected after short-term exposure.

4.3. Indication of any immediate medical attention and special treatment needed

Immediate / special treatment: Eye bathing equipment should be available on the premises.

Section 5: Fire-fighting measures

5.1. Extinguishing media

Extinguishing media: Suitable extinguishing media for the surrounding fire should be used. Use water spray

to cool containers.

5.2. Special hazards arising from the substance or mixture

Exposure hazards: In combustion emits toxic fumes.

ANISTEL HIGH LEVEL SURFACE DISINFECTANT (LAVENDER)

Page: 4

5.3. Advice for fire-fighters

Advice for fire-fighters: Wear self-contained breathing apparatus. Wear protective clothing to prevent contact

with skin and eyes.

Section 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

Personal precautions: Refer to section 8 of SDS for personal protection details. If outside do not approach from

downwind. Mark out the contaminated area with signs and prevent access to

unauthorised personnel. Turn leaking containers leak-side up to prevent the escape of

liquid.

6.2. Environmental precautions

Environmental precautions: Do not discharge into drains or rivers. Contain the spillage using bunding.

6.3. Methods and material for containment and cleaning up

Clean-up procedures: Clean-up should be dealt with only by qualified personnel familiar with the specific

substance. Absorb into dry earth or sand. Transfer to a closable, labelled salvage

container for disposal by an appropriate method.

6.4. Reference to other sections

Reference to other sections: Refer to section 8 of SDS. Refer to section 13 of SDS.

Section 7: Handling and storage

7.1. Precautions for safe handling

Handling requirements: Avoid direct contact with the substance. Ensure there is sufficient ventilation of the area.

Avoid the formation or spread of mists in the air.

7.2. Conditions for safe storage, including any incompatibilities

Storage conditions: Store in cool, well ventilated area. Keep container tightly closed.

Suitable packaging: Must only be kept in original packaging.

7.3. Specific end use(s)

Specific end use(s): For the cleansing and disinfection of surfaces. For professional use only.

Section 8: Exposure controls/personal protection

8.1. Control parameters

Hazardous ingredients:

PROPAN-2-OL

ANISTEL HIGH LEVEL SURFACE DISINFECTANT (LAVENDER)

Page: 5

Workplace exposure limits:

Respirable dust

State	8 hour TWA	15 min. STEL	8 hour TWA	15 min. STEL
UK	999 mg/m3	1250 mg/m3	-	-

DNEL/PNEC Values

DNEL / PNEC No data available.

8.2. Exposure controls

Engineering measures: Ensure there is sufficient ventilation of the area.

Respiratory protection: Self-contained breathing apparatus must be available in case of emergency.

Hand protection: Protective gloves.

Eye protection: Safety glasses. Ensure eye bath is to hand.

Skin protection: Protective clothing.

Section 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

State: Liquid

Colour: Mauve

Odour: Lavender

Evaporation rate: As water

Oxidising: No data available.

Solubility in water: Soluble

Also soluble in: Water

Viscosity: No data available.

Boiling point/range ℃: 110 **Melting point/range ℃:** No data available.

Flammability limits %: lower: No data available. upper: No data available.

Flash point °C: No data available. Part.coeff. n-octanol/water: No data available.

Autoflammability °C: No data available. Vapour pressure: No data available.

Relative density: Approx 1.000 pH: 4.5-6.5

VOC g/l: No data available.

9.2. Other information

Other information: No data available.

Section 10: Stability and reactivity

10.1. Reactivity

Reactivity: Stable under recommended transport or storage conditions.

10.2. Chemical stability

Chemical stability: Stable under normal conditions.

ANISTEL HIGH LEVEL SURFACE DISINFECTANT (LAVENDER)

Page: 6

10.3. Possibility of hazardous reactions

Hazardous reactions: Hazardous reactions will not occur under normal transport or storage conditions.

Decomposition may occur on exposure to conditions or materials listed below.

10.4. Conditions to avoid

Conditions to avoid: Heat. Hot surfaces. Flames.

10.5. Incompatible materials

Materials to avoid: Strong oxidising agents. Strong acids.

10.6. Hazardous decomposition products

Haz. decomp. products: In combustion emits toxic fumes.

Section 11: Toxicological information

11.1. Information on toxicological effects

Hazardous ingredients:

C9-C11 ALCOHOL ETHOXYLATE (6)

|--|

PROPAN-2-OL

IVN	RAT	LD50	1088	mg/kg
ORL	MUS	LD50	3600	mg/kg
ORL	RAT	LD50	5045	mg/kg
SCU	MUS	LDLO	6	gm/kg

DIDECYLDIMETHYLAMMONIUM CHLORIDE

IPR	RAT	LD50	45	mg/kg
ORL	MUS	LD50	268	mg/kg

POLYMERIC BIGUANIDE HYDROCHLORIDE

0.7.1				,,
ORAL	RAT	LD50	>2000	mg/kg

Relevant effects for mixture:

Effect	Route	Basis
Acute toxicity (harmful)	INH	Hazardous: calculated
Irritation	OPT	Hazardous: calculated
Sensitisation	DRM	Hazardous: calculated
Repeated dose toxicity	INH	Hazardous: calculated

Symptoms / routes of exposure

Skin contact: There may be irritation and redness at the site of contact.

ANISTEL HIGH LEVEL SURFACE DISINFECTANT (LAVENDER)

Page: 7

Eye contact: There may be irritation and redness. The eyes may water profusely.

Ingestion: There may be soreness and redness of the mouth and throat. Nausea and stomach

pain may occur. There may be vomiting.

Inhalation: There may be irritation of the throat with a feeling of tightness in the chest.

Delayed / immediate effects: Immediate effects can be expected after short-term exposure.

Section 12: Ecological information

12.1. Toxicity

Hazardous ingredients:

C9-C11 ALCOHOL ETHOXYLATE (6)

DAPHNIA	48H EC50	1-10	mg/l
FISH	96H LC50	1-10	mg/l

ALKYL(C12-16)DIMETHYLBENZYLAMMONIUM CHLORIDE

Б ! :	48H EC50	0 040	n
Daphnia magna	48H EC50	0.016	ma/l
Dapinia magna	1011 2000	0.010	1119/1

12.2. Persistence and degradability

Persistence and degradability: Biodegradable.

12.3. Bioaccumulative potential

Bioaccumulative potential: No known adverse effects from normal use

12.4. Mobility in soil

Mobility: Readily absorbed into soil.

12.5. Results of PBT and vPvB assessment

PBT identification: This product is not identified as a PBT/vPvB substance.

12.6. Other adverse effects

Other adverse effects: Harmful to aquatic organisms.

Section 13: Disposal considerations

13.1. Waste treatment methods

Disposal operations: Transfer to a suitable container and arrange for collection by specialised disposal

company.

NB: The user's attention is drawn to the possible existence of regional or national

regulations regarding disposal.

Section 14: Transport information

14.1. UN number

UN number: Not applicable

ANISTEL HIGH LEVEL SURFACE DISINFECTANT (LAVENDER)

Page: 8

14.2. UN proper shipping name

Shipping name: NOT CLASSIFIED AS DANGEROUS IN THE MEANING OF TRANSPORT REGULATIONS.

14.3. Transport hazard class(es)

Transport class: Not applicable (Not+applicable)

14.4. Packing group

Packing group: Not applicable

14.5. Environmental hazards

Environmentally hazardous: No Marine pollutant: No

14.6. Special precautions for user

Special precautions: No special precautions.

Tunnel code: Not applicable

Transport category: Not applicable

IMDG seg. group: NOT APPLICABLE

14.7. Transport in bulk according to Annex II of MARPOL73/78 and the IBC Code

Transport in bulk: Not applicable

Section 15: Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

Specific regulations: This product has been classified in accordance with CLP and CHIP regulations and

compiled in accordance with Annex II of REACH.

15.2. Chemical Safety Assessment

Chemical safety assessment: A chemical safety assessment has not been carried out for the substance or the mixture

by the supplier.

Section 16: Other information

Other information

Other information: This safety data sheet is prepared in accordance with Commission Regulation (EU) No

453/2010.

* indicates text in the SDS which has changed since the last revision.

Phrases used in s.2 and s.3: H225: Highly flammable liquid and vapour.

H302: Harmful if swallowed.

H314: Causes severe skin burns and eye damage.

H315: Causes skin irritation.

H317: May cause an allergic skin reaction.

H318: Causes serious eye damage.

H319: Causes serious eye irritation.

H330: Fatal if inhaled.

ANISTEL HIGH LEVEL SURFACE DISINFECTANT (LAVENDER)

Page: 9

H335: May cause respiratory irritation.

H336: May cause drowsiness or dizziness.

H351: Suspected of causing cancer <state route of exposure if it is conclusively proven that no other routes of exposure cause the hazard>.

H372: Causes damage to organs <or state all organs affected, if known> through prolonged or repeated exposure <state route of exposure if it is conclusively proven that no other routes of exposure cause the hazard>.

H373: May cause damage to organs <or state all organs affected, if known> through prolonged or repeated exposure <state route of exposure if it is conclusively proven that no other routes of exposure cause the hazard>.

H400: Very toxic to aquatic life.

H410: Very toxic to aquatic life with long lasting effects.

H412: Harmful to aquatic life with long lasting effects.

R20: Harmful by inhalation.

R40: Limited evidence of a carcinogenic effect.

R41: Risk of serious damage to eyes.

R43: May cause sensitisation by skin contact.

R48/20: Harmful: danger of serious damage to health by prolonged exposure through inhalation.

R52/53: Harmful to aquatic organisms, may cause long-term adverse effects in the aquatic environment.

Legend to abbreviations: PNEC = predicted no effect level

DNEL = derived no effect level

LD50 = median lethal dose

LC50 = median lethal concentration

EC50 = median effective concentration

IC50 = median inhibitory concentration

dw = dry weight

bw = body weight

cc = closed cup

oc = open cup

MUS = mouse

GPG = guinea pig

RBT = rabbit

HAM = hamster

HMN = human

MAM = mammal

PGN = pigeon

IVN = intravenous

SCU = subcutaneous

ANISTEL HIGH LEVEL SURFACE DISINFECTANT (LAVENDER)

Page: 10

SKN = skin

DRM = dermal

OCC = ocular/corneal

PCP = phycico-chemical properties

Legal disclaimer: The above information is believed to be correct but does not purport to be all inclusive

and shall be used only as a guide. This company shall not be held liable for any

damage resulting from handling or from contact with the above product.