

ANISTEL SWIFT ACTIVATOR SOLUTION

Page: 1

Compilation date: 03/10/2013

Revision date: 01/05/2015

Revision No: 3

Section 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

Product name: ANISTEL SWIFT ACTIVATOR SOLUTION

1.2. Relevant identified uses of the substance or mixture and uses advised against

Use of substance / mixture: To be used with Anistel Swift Base solution. For professional use only. Uses advised

against: Uses other than the intended use of the product

1.3. Details of the supplier of the safety data sheet

Company name: Tristel Solutions Limited

Lynx Business Pa	rk
------------------	----

Fordham Road

Newmarket

Cambridgeshire

CB8 7NY

United Kingdom

Tel: +44 (0) 1638 721 500

Fax: +44 (0) 1638 721 911

Email: healthandsafety@tristel.com

1.4. Emergency telephone number

Emergency tel: +44 (0) 1638 721 500

(office hours only)

Section 2: Hazards identification

2.1. Classification of the substance or mixture Classification under CLP: Skin Irrit. 2: H315; Eye Irrit. 2: H319; -: EUH032 Classification under CHIP: -: R32 Most important adverse effects: Contact with acids liberates very toxic gas. Causes skin irritation. Causes serious eye irritation. 2.2. Label elements Label elements Hazard statements: EUH032: Contact with acids liberates very toxic gas. H315: Causes skin irritation. H319: Causes serious eye irritation.

Signal words: Warning

Hazard pictograms: GHS07: Exclamation mark

ANISTEL SWIFT ACTIVATOR SOLUTION



Precautionary statements:P280: Wear protective gloves/protective clothing/eye protection.P302+352: IF ON SKIN: Wash with plenty of soap and water.P305+351+338: IF IN EYES: Rinse cautiously with water for several minutes. Removecontact lenses, if present and easy to do. Continue rinsing.P332+313: If skin irritation occurs: Get medical advice.P337+313: If eye irritation persists: Get medical advice.

2.3. Other hazards

PBT: This product is not identified as a PBT/vPvB substance.

Section 3: Composition/information on ingredients

3.2. Mixtures

Hazardous ingredients:

SODIUM CHLORITE 100%

EINECS	CAS	CHIP Classification	CLP Classification	Percent
231-836-6	7758-19-2	-	Eye Dam. 1: H318; Ox. Sol. 2: H272; Acute Tox. 4: H302; Acute Tox. 3: H311; Skin Corr. 1B: H314; Aquatic Acute 1: H400; STOT RE 2: H373; -: EUH032	1-10%

Section 4: First aid measures

4.1. Description of first aid measures

Skin contact: Wash immediately with plenty of soap and water.

Eye contact: Rinse eyes with water and seek medical advice if irritation persists.

Ingestion: Wash out mouth with water.

Inhalation: Move to fresh air in case of accidental inhalation of vapours.

4.2. Most important symptoms and effects, both acute and delayed

Skin contact: There may be mild irritation at the site of contact.

Eye contact: There may be irritation and redness.

Ingestion: There may be irritation of the throat.

Inhalation: There may be irritation of the throat with a feeling of tightness in the chest.

4.3. Indication of any immediate medical attention and special treatment needed

Immediate / special treatment: Eye bathing equipment should be available on the premises.

Section 5: Fire-fighting measures

Page: 2

ANISTEL SWIFT ACTIVATOR SOLUTION

5.1. Extinguishing media

Extinguishing media: Suitable extinguishing media for the surrounding fire should be used. Use water spray

to cool containers.

5.2. Special hazards arising from the substance or mixture

Exposure hazards: In combustion emits toxic fumes.

5.3. Advice for fire-fighters

Advice for fire-fighters: Wear self-contained breathing apparatus. Wear protective clothing to prevent contact with skin and eyes.

with bian and by

Section 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

Personal precautions: Refer to section 8 of SDS for personal protection details.

6.2. Environmental precautions

Environmental precautions: Do not discharge into drains or rivers. Contain the spillage using bunding.

6.3. Methods and material for containment and cleaning up

Clean-up procedures: Absorb into dry earth or sand. Transfer to a closable, labelled salvage container for disposal by an appropriate method.

6.4. Reference to other sections

Reference to other sections: Refer to section 8 of SDS. Refer to section 13 of SDS.

Section 7: Handling and storage

7.1. Precautions for safe handling

Handling requirements: Avoid direct contact with the substance. Ensure there is sufficient ventilation of the area.

Do not handle in a confined space. Avoid the formation or spread of mists in the air.

7.2. Conditions for safe storage, including any incompatibilities

Storage conditions: Store in cool, well ventilated area. Keep container tightly closed.

7.3. Specific end use(s)

Specific end use(s): To be used with Anistel Swift Base solution. For professional use only.

Section 8: Exposure controls/personal protection

8.1. Control parameters

Hazardous ingredients:

ANISTEL SWIFT ACTIVATOR SOLUTION

SODIUM CHLORITE 100%

Workplace exposure limits:

Workplace ex	xposure limits:		Respirable dust	
State	8 hour TWA	15 min. STEL	8 hour TWA	15 min. STEL
EU	-	0.41mg/m3	_	-

DNEL/PNEC Values

DNEL / PNEC No data available.

8.2. Exposure controls

Engineering measures: Ensure there is sufficient ventilation of the area. Respiratory protection: Respiratory protection not required. Hand protection: Protective gloves. Eye protection: Safety glasses. Ensure eye bath is to hand.

Skin protection: Protective clothing.

Section 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

State:	Liquid	
Colour:	Colourless	
Evaporation rate:	No data available.	
Oxidising:	No data available.	
Solubility in water:	No data available.	
Viscosity:	No data available.	
Boiling point/range℃:	No data available. Melting point/range °C	No data available.
Flammability limits %: lower:	No data available. upper	No data available.
Flash point℃:	No data available. Part.coeff. n-octanol/water	No data available.
Autoflammability℃:	No data available. Vapour pressure	No data available.
Relative density:	1.010-1.020 pH	11.5-13.0
VOC g/l:	No data available.	

9.2. Other information

Other information: No data available.

Section 10: Stability and reactivity

10.1. Reactivity

Reactivity: Stable under recommended transport or storage conditions.

10.2. Chemical stability

Chemical stability: Stable under normal conditions.

Page: 4

ANISTEL SWIFT ACTIVATOR SOLUTION

10.3. Possibility of hazardous reactions

Hazardous reactions: Hazardous reactions will not occur under normal transport or storage conditions.

Decomposition may occur on exposure to conditions or materials listed below. Contact

with acids liberates very toxic gas.

10.4. Conditions to avoid

Conditions to avoid: Heat.

10.5. Incompatible materials

Materials to avoid: Strong oxidising agents. Strong acids.

10.6. Hazardous decomposition products

Haz. decomp. products: In combustion emits toxic fumes.

Section 11: Toxicological information

11.1. Information on toxicological effects

Toxicity values: No data available.

Symptoms / routes of exposure

Skin contact: There may be mild irritation at the site of contact.

Eye contact: There may be irritation and redness.

Ingestion: There may be irritation of the throat.

Inhalation: There may be irritation of the throat with a feeling of tightness in the chest.

Section 12: Ecological information

12.1. Toxicity

Hazardous ingredients:

SODIUM CHLORITE 100%

Daphnia magna	48H EC50	0.29	mg/l
FISH	96H LC50	265-310	mg/l

12.2. Persistence and degradability

Persistence and degradability: Biodegradable.

12.3. Bioaccumulative potential

Bioaccumulative potential: No bioaccumulation potential.

12.4. Mobility in soil

Mobility: Readily absorbed into soil. Not classified as environmentally hazardous.

12.5. Results of PBT and vPvB assessment

PBT identification: This product is not identified as a PBT/vPvB substance.

ANISTEL SWIFT ACTIVATOR SOLUTION

Page: 6

12.6. Other adverse effects

Other adverse effects: Negligible ecotoxicity.

Section 13: Disposal considerations

13.1. Waste treatment methods

Disposal operations: Transfer to a suitable container and arrange for collection by specialised disposal

company.

NB: The user's attention is drawn to the possible existence of regional or national regulations regarding disposal.

Section 14: Transport information

Transport class: This product does not require a classification for transport.

Section 15: Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

Specific regulations: This product has been classified in accordance with CLP and CHIP regulations and

compiled in accordance with Annex II of REACH.

15.2. Chemical Safety Assessment

Chemical safety assessment: A chemical safety assessment has not been carried out for the substance or the mixture by the supplier.

Section 16: Other information

Other information	
Other information:	This safety data sheet is prepared in accordance with Commission Regulation (EU) No
	453/2010.
	* indicates text in the SDS which has changed since the last revision.
Phrases used in s.2 and s.3:	EUH032: Contact with acids liberates very toxic gas.
	H272: May intensify fire; oxidiser.
	H302: Harmful if swallowed.
	H311: Toxic in contact with skin.
	H314: Causes severe skin burns and eye damage.
	H315: Causes skin irritation.
	H318: Causes serious eye damage.
	H319: Causes serious eye irritation.
	H373: May cause damage to organs <or affected,="" all="" if="" known="" organs="" state=""> through</or>
	prolonged or repeated exposure <state conclusively="" exposure="" if="" is="" it="" of="" proven="" route="" th="" that<=""></state>
	no other routes of exposure cause the hazard>.
	H400: Very toxic to aquatic life.
	R32: Contact with acids liberates very toxic gas.
Legend to abbreviations:	PNEC = predicted no effect level

ANISTEL SWIFT ACTIVATOR SOLUTION

Page: 7

DNEL = derived no effect level

LD50 = median lethal dose

LC50 = median lethal concentration

EC50 = median effective concentration

IC50 = median inhibitory concentration

dw = dry weight

bw = body weight

cc = closed cup

oc = open cup

MUS = mouse

GPG = guinea pig

RBT = rabbit

HAM = hamster

HMN = human

MAM = mammal

PGN = pigeon

IVN = intravenous

SCU = subcutaneous

SKN = skin

DRM = dermal

OCC = ocular/corneal

PCP = phycico-chemical properties

Legal disclaimer: The above information is believed to be correct but does not purport to be all inclusive and shall be used only as a guide. This company shall not be held liable for any damage resulting from handling or from contact with the above product.