

DIAMOND

Page: 1

Compilation date: 15/06/2011

**Revision date:** 30/04/2015

Revision No: 5

# Section 1: Identification of the substance/mixture and of the company/undertaking

#### 1.1. Product identifier

Product name: DIAMOND

# 1.2. Relevant identified uses of the substance or mixture and uses advised against

Use of substance / mixture: Disinfectant solution. For professional use only. Uses advised against: Uses other than

the intended use of the product

## 1.3. Details of the supplier of the safety data sheet

Company name: Tristel Solutions Limited

Lynx Business Park Fordham Road

Newmarket

Cambridgeshire

CB8 7NY

United Kingdom

**Tel:** +44 (0) 1638 721 500 **Fax:** +44 (0) 1638 721 911

Email: healthandsafety@tristel.com

## 1.4. Emergency telephone number

Emergency tel: +44 (0) 1638 721 500

(office hours only)

#### Section 2: Hazards identification

# 2.1. Classification of the substance or mixture

Classification under CLP: Acute Tox. 3: H331; Aquatic Chronic 2: H411; Carc. 2: H351; Eye Dam. 1: H318; Skin Irrit.

2: H315; Skin Sens. 1B: H317; STOT RE 2: H373

Classification under CHIP: Xn: R20; Xi: R38; Xn: R40; Xi: R41; Sens.: R43; Xn: R48/20; N: R51/53

Most important adverse effects: Causes skin irritation. May cause an allergic skin reaction. Causes serious eye

damage. Toxic if inhaled. Suspected of causing cancer. May cause damage to organs through prolonged or repeated exposure (inhalation). Toxic to aquatic life with long

lasting effects.

## 2.2. Label elements

Label elements under CLP:

Hazard statements: H315: Causes skin irritation.

H317: May cause an allergic skin reaction.

DIAMOND

Page: 2

H318: Causes serious eye damage.

H331: Toxic if inhaled.

H351: Suspected of causing cancer.

H373: May cause damage to organs through prolonged or repeated exposure

(inhalation).

H411: Toxic to aquatic life with long lasting effects.

Signal words: Danger

Hazard pictograms: GHS05: Corrosion

GHS06: Skull and crossbones

GHS08: Health hazard GHS09: Environmental









Precautionary statements: P260: Do not breathe mist/spray.

P280: Wear protective gloves/protective clothing/eye protection. P302+352: IF ON SKIN: Wash with plenty of soap and water.

P304+340: IF INHALED: Remove victim to fresh air and keep at rest in a position

comfortable for breathing.

P305+351+338: IF IN EYES: Rinse cautiously with water for several minutes. Remove

contact lenses, if present and easy to do. Continue rinsing. P308+313: IF exposed or concerned: Get medical advice.

## 2.3. Other hazards

PBT: This product is not identified as a PBT/vPvB substance.

# Section 3: Composition/information on ingredients

#### 3.2. Mixtures

## Hazardous ingredients:

# POLYMERIC BIGUANIDE HYDROCHLORIDE

EINECS	CAS	CHIP Classification	CLP Classification	Percent
-	27083-27-8	-	Acute Tox. 4: H302; Acute Tox. 2: H330;	1-10%
			Skin Sens. 1B: H317; Eye Dam. 1:	
			H318; STOT RE 1: H372; Aquatic	
			Acute 1: H400; Aquatic Chronic 1:	
			H410; Carc. 2: H351	

DIAMOND

Page: 3

$\Delta I KVI$	DIMETHYL	RETAINE
ALNIL		DETAINE

266-368-1	66455-29-6	-	Eye Irrit. 2: H319; Eye Dam. 1: H318; Skin Irrit. 2: H315	1-10%
N,N-DIDECYL	-N,N-DIMETHYLAN	MONIUM CARBONATE		
451-900-9	894406-76-9	-	Acute Tox. 3: H301; Skin Corr. 1B: H314; Aquatic Acute 1: H400	1-10%
1,3 PROPANE	EDIAMINE, C10-16	ALKYLDERIVATIVES, REACTION PR	ODUCT WITH 2-CHLORO ACETIC ACIDS	
-	139734-65-9	-	Acute Tox. 4: H302; Aquatic Acute 1: H400; Skin Corr. 1C: H314	1-10%
2,2'-OXYBISE	THANOL			
203-872-2	111-46-6	-	Acute Tox. 4: H302	1-10%
METHANOL				
200-659-6	67-56-1	-	Flam. Liq. 2: H225; Acute Tox. 3: H331; Acute Tox. 3: H311; Acute Tox. 3: H301; STOT SE 1: H370	<1%

#### Section 4: First aid measures

#### 4.1. Description of first aid measures

Skin contact: Remove all contaminated clothes and footwear immediately unless stuck to skin.

Drench the affected skin with running water for 10 minutes or longer if substance is still

on skin. If skin irritation or rash occurs: Get medical advice.

**Eye contact:** Bathe the eye with running water for 15 minutes. Consult a doctor.

Ingestion: Wash out mouth with water. Do not induce vomiting. If conscious, give half a litre of water

to drink immediately. Consult a doctor.

Inhalation: Remove casualty from exposure ensuring one's own safety whilst doing so. Consult a

doctor.

## 4.2. Most important symptoms and effects, both acute and delayed

**Skin contact:** There may be irritation and redness at the site of contact.

Eye contact: There may be irritation and redness. The eyes may water profusely.

Ingestion: There may be soreness and redness of the mouth and throat. Nausea and stomach

pain may occur. There may be vomiting.

**Inhalation:** There may be irritation of the throat with a feeling of tightness in the chest.

Delayed / immediate effects: Immediate effects can be expected after short-term exposure.

# 4.3. Indication of any immediate medical attention and special treatment needed

Immediate / special treatment: Eye bathing equipment should be available on the premises.

# Section 5: Fire-fighting measures

DIAMOND

Page: 4

# 5.1. Extinguishing media

**Extinguishing media:** Suitable extinguishing media for the surrounding fire should be used. Use water spray to cool containers.

#### 5.2. Special hazards arising from the substance or mixture

**Exposure hazards:** In combustion emits toxic fumes.

#### 5.3. Advice for fire-fighters

Advice for fire-fighters: Wear self-contained breathing apparatus. Wear protective clothing to prevent contact

with skin and eyes.

## Section 6: Accidental release measures

#### 6.1. Personal precautions, protective equipment and emergency procedures

Personal precautions: Refer to section 8 of SDS for personal protection details. If outside do not approach from

downwind. If outside keep bystanders upwind and away from danger point. Mark out the

contaminated area with signs and prevent access to unauthorised personnel. Turn

leaking containers leak-side up to prevent the escape of liquid.

#### 6.2. Environmental precautions

Environmental precautions: Do not discharge into drains or rivers. Contain the spillage using bunding.

#### 6.3. Methods and material for containment and cleaning up

Clean-up procedures: Absorb into dry earth or sand. Transfer to a closable, labelled salvage container for

disposal by an appropriate method.

#### 6.4. Reference to other sections

Reference to other sections: Refer to section 8 of SDS. Refer to section 13 of SDS.

#### Section 7: Handling and storage

## 7.1. Precautions for safe handling

Handling requirements: Avoid direct contact with the substance. Ensure there is sufficient ventilation of the area.

Do not handle in a confined space. Avoid the formation or spread of mists in the air.

## 7.2. Conditions for safe storage, including any incompatibilities

Storage conditions: Store in cool, well ventilated area. Keep container tightly closed. The floor of the storage

room must be impermeable to prevent the escape of liquids.

#### 7.3. Specific end use(s)

Specific end use(s): Disinfectant Solution. For professional use only.

# Section 8: Exposure controls/personal protection

#### 8.1. Control parameters

DIAMOND

Page: 5

# **Hazardous ingredients:**

#### 2,2'-OXYBISETHANOL

## Workplace exposure limits:

#### Respirable dust

State	8 hour TWA	15 min. STEL	8 hour TWA	15 min. STEL
UK	101 mg/m3	-	-	-

#### **METHANOL**

UK	266 mg/m3	222 mg/m2		
UK	200 mg/m3	333 mg/m3	-	-

#### **DNEL/PNEC Values**

**DNEL / PNEC** No data available.

#### 8.2. Exposure controls

Engineering measures: Ensure there is sufficient ventilation of the area. The floor of the storage room must be

impermeable to prevent the escape of liquids.

Respiratory protection: Self-contained breathing apparatus must be available in case of emergency.

Hand protection: Impermeable gloves.

Eye protection: Safety glasses. Ensure eye bath is to hand.

Skin protection: Impermeable protective clothing.

## Section 9: Physical and chemical properties

# 9.1. Information on basic physical and chemical properties

State: Liquid

Colour: Colourless

Evaporation rate: No data available.

Oxidising: No data available.

Solubility in water: No data available.

Viscosity: No data available.

Boiling point/range ℃: No data available. Melting point/range ℃: No data available.

Flammability limits %: lower: No data available. upper: No data available.

Flash point °C: No data available. Part.coeff. n-octanol/water: No data available.

**Autoflammability°C:** No data available. **Vapour pressure:** No data available.

**Relative density:** 1.030-1.050 **pH:** 8-9

, ...

VOC g/I: No data available.

# 9.2. Other information

Other information: No data available.

# Section 10: Stability and reactivity

DIAMOND

Page: 6

# 10.1. Reactivity

**Reactivity:** Stable under recommended transport or storage conditions.

# 10.2. Chemical stability

Chemical stability: Stable under normal conditions.

# 10.3. Possibility of hazardous reactions

Hazardous reactions: Hazardous reactions will not occur under normal transport or storage conditions.

Decomposition may occur on exposure to conditions or materials listed below.

#### 10.4. Conditions to avoid

Conditions to avoid: Heat.

## 10.5. Incompatible materials

Materials to avoid: Strong oxidising agents. Strong acids.

## 10.6. Hazardous decomposition products

Haz. decomp. products: In combustion emits toxic fumes.

# **Section 11: Toxicological information**

# 11.1. Information on toxicological effects

# **Hazardous ingredients:**

#### POLYMERIC BIGUANIDE HYDROCHLORIDE

ORAL RAT LD50	>2000 mg/kg
---------------	-------------

#### **METHANOL**

IVN	RAT	LD50	2131	mg/kg
ORL	MUS	LD50	7300	mg/kg
ORL	RAT	LD50	5628	mg/kg

#### Relevant effects for mixture:

Effect	Route	Basis
Acute toxicity (harmful)	INH	Hazardous: calculated
Irritation	OPT DRM	Hazardous: calculated
Sensitisation	DRM	Hazardous: calculated
Repeated dose toxicity	INH	Hazardous: calculated

## Symptoms / routes of exposure

**Skin contact:** There may be irritation and redness at the site of contact.

Eye contact: There may be irritation and redness. The eyes may water profusely.

Ingestion: There may be soreness and redness of the mouth and throat. Nausea and stomach

pain may occur. There may be vomiting.

DIAMOND

Page: 7

Inhalation: There may be irritation of the throat with a feeling of tightness in the chest.

Delayed / immediate effects: Immediate effects can be expected after short-term exposure.

# Section 12: Ecological information

## 12.1. Toxicity

Ecotoxicity values: No data available.

## 12.2. Persistence and degradability

Persistence and degradability: Not biodegradable.

# 12.3. Bioaccumulative potential

Bioaccumulative potential: Bioaccumulation potential.

# 12.4. Mobility in soil

Mobility: Readily absorbed into soil.

#### 12.5. Results of PBT and vPvB assessment

PBT identification: This product is not identified as a PBT/vPvB substance.

## 12.6. Other adverse effects

Other adverse effects: Toxic to aquatic organisms. Toxic to soil organisms.

# Section 13: Disposal considerations

# 13.1. Waste treatment methods

Disposal operations: Transfer to a suitable container and arrange for collection by specialised disposal

company.

NB: The user's attention is drawn to the possible existence of regional or national

regulations regarding disposal.

## **Section 14: Transport information**

#### 14.1. UN number

UN number: UN3142

# 14.2. UN proper shipping name

Shipping name: DISINFECTANT, LIQUID, TOXIC, N.O.S.

(POLYMERIC BIGUANIDE HYDROCHLORIDE;)

# 14.3. Transport hazard class(es)

Transport class: 6.1

#### 14.4. Packing group

Packing group: III

#### 14.5. Environmental hazards

Environmentally hazardous: Yes Marine pollutant: No

#### DIAMOND

Page: 8

#### 14.6. Special precautions for user

Special precautions: No special precautions.

Tunnel code: E
Transport category: 2

#### Section 15: Regulatory information

## 15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

Specific regulations: This product has been classified in accordance with CLP and CHIP regulations and

compiled in accordance with Annex II of REACH.

#### 15.2. Chemical Safety Assessment

Chemical safety assessment: A chemical safety assessment has not been carried out for the substance or the mixture

by the supplier.

#### Section 16: Other information

#### Other information

Other information: This safety data sheet is prepared in accordance with Commission Regulation (EU) No

453/2010.

\* indicates text in the SDS which has changed since the last revision.

Phrases used in s.2 and s.3: H225: Highly flammable liquid and vapour.

H301: Toxic if swallowed.

H302: Harmful if swallowed.

H311: Toxic in contact with skin.

H314: Causes severe skin burns and eye damage.

H315: Causes skin irritation.

H317: May cause an allergic skin reaction.

H318: Causes serious eye damage.

H319: Causes serious eye irritation.

H330: Fatal if inhaled.

H331: Toxic if inhaled.

H351: Suspected of causing cancer <state route of exposure if it is conclusively proven that no other routes of exposure cause the hazard>.

H370: Causes damage to organs <or state all organs affected, if known> <state route of exposure if it is conclusively proven that no other routes of exposure cause the hazard>.

H372: Causes damage to organs <or state all organs affected, if known> through prolonged or repeated exposure <state route of exposure if it is conclusively proven that no other routes of exposure cause the hazard>.

H373: May cause damage to organs <or state all organs affected, if known> through prolonged or repeated exposure <state route of exposure if it is conclusively proven that no other routes of exposure cause the hazard>.

#### DIAMOND

Page: 9

H400: Very toxic to aquatic life.

H410: Very toxic to aquatic life with long lasting effects.

H411: Toxic to aquatic life with long lasting effects.

R20: Harmful by inhalation.

R38: Irritating to skin.

R40: Limited evidence of a carcinogenic effect.

R41: Risk of serious damage to eyes.

R43: May cause sensitisation by skin contact.

R48/20: Harmful: danger of serious damage to health by prolonged exposure through

inhalation.

R51/53: Toxic to aquatic organisms, may cause long-term adverse effects in the aquatic

environment.

Legend to abbreviations: PNEC = predicted no effect level

DNEL = derived no effect level

LD50 = median lethal dose

LC50 = median lethal concentration

EC50 = median effective concentration

IC50 = median inhibitory concentration

dw = dry weight

bw = body weight

cc = closed cup

oc = open cup

MUS = mouse

GPG = guinea pig

RBT = rabbit

HAM = hamster

HMN = human

MAM = mammal

PGN = pigeon

IVN = intravenous

SCU = subcutaneous

SKN = skin

DRM = dermal

OCC = ocular/corneal

PCP = phycico-chemical properties

Legal disclaimer: The above information is believed to be correct but does not purport to be all inclusive

and shall be used only as a guide. This company shall not be held liable for any

damage resulting from handling or from contact with the above product.