

## SAFETY DATA SHEET PERASTEL 3 DAY MANUAL BASE SOLUTION

Page: 1

Compilation date: 16/04/2012

Revision date: 06/05/2015

Revision No: 4

### Section 1: Identification of the substance/mixture and of the company/undertaking

#### 1.1. Product identifier

**Product name:** PERASTEL 3 DAY MANUAL BASE SOLUTION

#### 1.2. Relevant identified uses of the substance or mixture and uses advised against

**Use of substance / mixture:** For use with Perastel 3 Day Manual Activator solution. For professional use only. Uses advised against: Uses other than the intended use of the product

#### 1.3. Details of the supplier of the safety data sheet

**Company name:** Tristel Solutions Limited  
Lynx Business Park  
Fordham Road  
Newmarket  
Cambridgeshire  
CB8 7NY  
United Kingdom  
**Tel:** +44 (0) 1638 721 500  
**Fax:** +44 (0) 1638 721 911  
**Email:** healthandsafety@tristel.com

#### 1.4. Emergency telephone number

**Emergency tel:** +44 (0) 1638 721 500  
(office hours only)

### Section 2: Hazards identification

#### 2.1. Classification of the substance or mixture

**Classification under CLP:** Eye Irrit. 2: H319; Repr. 1B: H360Df; Skin Irrit. 2: H315

**Classification under CHIP:** T: R61; Xn: R68/20/21/22

**Most important adverse effects:** Causes skin irritation. Causes serious eye irritation. May damage the unborn child. Suspected of damaging fertility.

#### 2.2. Label elements

##### Label elements under CLP:

**Hazard statements:** H315: Causes skin irritation.  
H319: Causes serious eye irritation.  
H360Df: May damage the unborn child. Suspected of damaging fertility.

**Signal words:** Danger

**Hazard pictograms:** GHS07: Exclamation mark  
GHS08: Health hazard

# SAFETY DATA SHEET

## PERASTEL 3 DAY MANUAL BASE SOLUTION

Page: 2



**Precautionary statements:** P202: Do not handle until all safety precautions have been read and understood.  
P280: Wear protective gloves/protective clothing/eye protection.  
P302+352: IF ON SKIN: Wash with plenty of soap and water.  
P305+351+338: IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.  
P337+313: If eye irritation persists: Get medical advice.  
P332+313: If skin irritation occurs: Get medical advice.

### 2.3. Other hazards

**PBT:** This product is not identified as a PBT/vPvB substance.

## Section 3: Composition/information on ingredients

### 3.2. Mixtures

#### Hazardous ingredients:

##### SODIUM PERBORATE MONOHYDRATE

EINECS	CAS	CHIP Classification	CLP Classification	Percent
234-390-0	10332-33-9	-	Ox. Sol. 3: H272; Acute Tox. 4: H302; STOT SE 3: H335; Repr. 1B: H360Df; Eye Dam. 1: H318	1-10%

##### HYDROGEN PEROXIDE SOLUTION

231-765-0	7722-84-1	-	Ox. Liq. 1: H271; Acute Tox. 4: H332; Acute Tox. 4: H302; Skin Corr. 1A: H314	1-10%
-----------	-----------	---	---	-------

## Section 4: First aid measures

### 4.1. Description of first aid measures

**Skin contact:** Wash immediately with plenty of soap and water. If skin irritation or rash occurs: Get medical advice.

**Eye contact:** Bathe the eye with running water for 15 minutes. Seek medical attention if eye irritation persists.

**Ingestion:** Wash out mouth with water. Seek medical attention if irritation or discomfort persists. May damage the unborn child. Suspected of damaging fertility

**Inhalation:** Move to fresh air in case of accidental inhalation of vapours. Seek medical attention if any discomfort continues.

### 4.2. Most important symptoms and effects, both acute and delayed

**Skin contact:** There may be mild irritation at the site of contact.

**Eye contact:** There may be irritation and redness.

[cont...]

**SAFETY DATA SHEET**  
PERASTEL 3 DAY MANUAL BASE SOLUTION

Page: 3

**Ingestion:** There may be irritation of the throat.

**Inhalation:** There may be irritation of the throat with a feeling of tightness in the chest.

**4.3. Indication of any immediate medical attention and special treatment needed**

**Immediate / special treatment:** Eye bathing equipment should be available on the premises.

**Section 5: Fire-fighting measures**

**5.1. Extinguishing media**

**Extinguishing media:** Suitable extinguishing media for the surrounding fire should be used. Use water spray to cool containers.

**5.2. Special hazards arising from the substance or mixture**

**Exposure hazards:** In combustion emits toxic fumes.

**5.3. Advice for fire-fighters**

**Advice for fire-fighters:** Wear self-contained breathing apparatus. Wear protective clothing to prevent contact with skin and eyes.

**Section 6: Accidental release measures**

**6.1. Personal precautions, protective equipment and emergency procedures**

**Personal precautions:** Refer to section 8 of SDS for personal protection details. Turn leaking containers leak-side up to prevent the escape of liquid.

**6.2. Environmental precautions**

**Environmental precautions:** Do not discharge into drains or rivers. Contain the spillage using bunding.

**6.3. Methods and material for containment and cleaning up**

**Clean-up procedures:** Absorb into dry earth or sand. Transfer to a closable, labelled salvage container for disposal by an appropriate method.

**6.4. Reference to other sections**

**Reference to other sections:** Refer to section 8 of SDS. Refer to section 13 of SDS.

**Section 7: Handling and storage**

**7.1. Precautions for safe handling**

**Handling requirements:** Ensure there is sufficient ventilation of the area. Do not handle until all safety precautions have been read and understood.

**7.2. Conditions for safe storage, including any incompatibilities**

**Storage conditions:** Store in cool, well ventilated area. Keep container tightly closed.

**Suitable packaging:** Must only be kept in original packaging.

**7.3. Specific end use(s)**

**Specific end use(s):** For use with Perastel 3 Day Manual Activator solution. For professional use only.

[cont...]

**SAFETY DATA SHEET**  
PERASTEL 3 DAY MANUAL BASE SOLUTION

Page: 4

**Section 8: Exposure controls/personal protection**

**8.1. Control parameters**

**Hazardous ingredients:**

**HYDROGEN PEROXIDE SOLUTION...100%**

**Workplace exposure limits:**

**Respirable dust**

State	8 hour TWA	15 min. STEL	8 hour TWA	15 min. STEL
UK	1.4 mg/m <sup>3</sup>	2.8 mg/m <sup>3</sup>	-	-

**DNEL/PNEC Values**

**DNEL / PNEC** No data available.

**8.2. Exposure controls**

**Engineering measures:** Ensure there is sufficient ventilation of the area.

**Respiratory protection:** Respiratory protection not required.

**Hand protection:** Protective gloves.

**Eye protection:** Safety glasses. Ensure eye bath is to hand.

**Skin protection:** Protective clothing.

**Section 9: Physical and chemical properties**

**9.1. Information on basic physical and chemical properties**

**State:** Liquid

**Colour:** Clear/Pale Yellow

**Evaporation rate:** No data available.

**Oxidising:** No data available.

**Solubility in water:** No data available.

**Viscosity:** No data available.

**Boiling point/range °C:** >35

**Flammability limits %: lower:** No data available.

**Flash point °C:** >93

**Autoflammability °C:** No data available.

**Relative density:** 1.005 - 1.025

**VOC g/l:** No data available.

**Melting point/range °C:** No data available.

**upper:** No data available.

**Part.coeff. n-octanol/water:** No data available.

**Vapour pressure:** No data available.

**pH:** Approx. 7

**9.2. Other information**

**Other information:** No data available.

**Section 10: Stability and reactivity**

**10.1. Reactivity**

**Reactivity:** Stable under recommended transport or storage conditions.

[cont...]

**SAFETY DATA SHEET**  
PERASTEL 3 DAY MANUAL BASE SOLUTION

Page: 5

**10.2. Chemical stability**

**Chemical stability:** Stable under normal conditions.

**10.3. Possibility of hazardous reactions**

**Hazardous reactions:** Hazardous reactions will not occur under normal transport or storage conditions.  
Decomposition may occur on exposure to conditions or materials listed below.

**10.4. Conditions to avoid**

**Conditions to avoid:** Heat.

**10.5. Incompatible materials**

**Materials to avoid:** Strong oxidising agents. Strong acids.

**10.6. Hazardous decomposition products**

**Haz. decomp. products:** In combustion emits toxic fumes.

**Section 11: Toxicological information**

**11.1. Information on toxicological effects**

**Hazardous ingredients:**

**HYDROGEN PEROXIDE SOLUTION...100%**

ORL	MUS	LD50	2	gm/kg
ORL	RAT	LD50	376	mg/kg
SKN	RAT	LD50	4060	mg/kg

**Toxicity values:** No data available.

**Symptoms / routes of exposure**

**Skin contact:** There may be mild irritation at the site of contact.

**Eye contact:** There may be irritation and redness.

**Ingestion:** There may be irritation of the throat.

**Inhalation:** There may be irritation of the throat with a feeling of tightness in the chest.

**Section 12: Ecological information**

**12.1. Toxicity**

**Ecotoxicity values:** No data available.

**12.2. Persistence and degradability**

**Persistence and degradability:** Biodegradable.

**12.3. Bioaccumulative potential**

**Bioaccumulative potential:** No bioaccumulation potential.

[cont...]

**SAFETY DATA SHEET**  
PERASTEL 3 DAY MANUAL BASE SOLUTION

Page: 6

**12.4. Mobility in soil**

**Mobility:** Readily absorbed into soil. Not classified as environmentally hazardous.

**12.5. Results of PBT and vPvB assessment**

**PBT identification:** This product is not identified as a PBT/vPvB substance.

**12.6. Other adverse effects**

**Other adverse effects:** Negligible ecotoxicity.

**Section 13: Disposal considerations**

**13.1. Waste treatment methods**

**NB:** The user's attention is drawn to the possible existence of regional or national regulations regarding disposal.

**Section 14: Transport information**

**14.1. UN number**

**UN number:** Not applicable

**14.2. UN proper shipping name**

**Shipping name:** NOT CLASSIFIED AS DANGEROUS IN THE MEANING OF TRANSPORT REGULATIONS.

**14.3. Transport hazard class(es)**

**Transport class:** Not applicable (Not+applicable)

**14.4. Packing group**

**Packing group:** Not applicable

**14.5. Environmental hazards**

**Environmentally hazardous:** No

**Marine pollutant:** No

**14.6. Special precautions for user**

**Special precautions:** No special precautions.

**Tunnel code:** Not applicable

**Transport category:** Not applicable

**IMDG seg. group:** NOT APPLICABLE

**14.7. Transport in bulk according to Annex II of MARPOL73/78 and the IBC Code**

**Transport in bulk:** Not applicable

**Section 15: Regulatory information**

**15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture**

**Specific regulations:** This product has been classified in accordance with CLP and CHIP regulations and compiled in accordance with Annex II of REACH.

[cont...]

**SAFETY DATA SHEET**  
PERASTEL 3 DAY MANUAL BASE SOLUTION

Page: 7

**15.2. Chemical Safety Assessment**

**Chemical safety assessment:** A chemical safety assessment has not been carried out for the substance or the mixture by the supplier.

**Section 16: Other information**

**Other information**

**Other information:** This safety data sheet is prepared in accordance with Commission Regulation (EU) No 453/2010.

\* indicates text in the SDS which has changed since the last revision.

**Phrases used in s.2 and s.3:** H271: May cause fire or explosion; strong oxidiser.  
H272: May intensify fire; oxidiser.  
H302: Harmful if swallowed.  
H314: Causes severe skin burns and eye damage.  
H315: Causes skin irritation.  
H318: Causes serious eye damage.  
H319: Causes serious eye irritation.  
H332: Harmful if inhaled.  
H335: May cause respiratory irritation.  
H360Df: May damage the unborn child. Suspected of damaging fertility.  
R61: May cause harm to the unborn child.  
R68/20/21/22: Harmful: possible risk of irreversible effects through inhalation, in contact with skin and if swallowed.

**Legend to abbreviations:** PNEC = predicted no effect level  
DNEL = derived no effect level  
LD50 = median lethal dose  
LC50 = median lethal concentration  
EC50 = median effective concentration  
IC50 = median inhibitory concentration  
dw = dry weight  
bw = body weight  
cc = closed cup  
oc = open cup  
MUS = mouse  
GPG = guinea pig  
RBT = rabbit  
HAM = hamster  
HMN = human  
MAM = mammal  
PGN = pigeon

[cont...]

**SAFETY DATA SHEET**  
PERASTEL 3 DAY MANUAL BASE SOLUTION

**Page: 8**

IVN = intravenous

SCU = subcutaneous

SKN = skin

DRM = dermal

OCC = ocular/corneal

PCP = physico-chemical properties

**Legal disclaimer:** The above information is believed to be correct but does not purport to be all inclusive and shall be used only as a guide. This company shall not be held liable for any damage resulting from handling or from contact with the above product.