

TRISTEL DUO FOR SURFACES ACTIVATOR SOLUTION

Page: 1

Compilation date: 27/02/2013

Revision date: 18/11/2015

Revision No: 5

Section 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

Product name: TRISTEL DUO FOR SURFACES ACTIVATOR SOLUTION

1.2. Relevant identified uses of the substance or mixture and uses advised against

Use of substance / mixture: To be used with Tristel Duo for Surfaces Base Solution. For professional use only. Uses

advised against: Uses other than the intended use of the product.

1.3. Details of the supplier of the safety data sheet

Company name: Tristel Solutions Limited

Lynx Business	Park
---------------	------

Fordham Road

Newmarket

Cambridgeshire

- CB8 7NY
- United Kingdom

Tel: +44 (0) 1638 721 500

Fax: +44 (0) 1638 721 911

Email: healthandsafety@tristel.com

1.4. Emergency telephone number

Emergency tel: +44 (0) 1638 721 500

(office hours only)

Section 2: Hazards identification

2.1. Classification of the substance or mixture

Classification under CLP: Eye Irrit. 2: H319; -: EUH032

Most important adverse effects: Contact with acids liberates very toxic gas. Causes serious eye irritation.

2.2. Label elements

Label elements:

Hazard statements: EUH032: Contact with acids liberates very toxic gas.

H319: Causes serious eye irritation.

Signal words: Warning

Hazard pictograms: GHS07: Exclamation mark



TRISTEL DUO FOR SURFACES ACTIVATOR SOLUTION

Page: 2

 Precautionary statements:
 P280: Wear protective gloves/protective clothing/eye protection.

 P305+351+338:
 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

P337+313: If eye irritation persists: Get medical advice.

2.3. Other hazards

PBT: This product is not identified as a PBT/vPvB substance.

Section 3: Composition/information on ingredients

3.2. Mixtures

Hazardous ingredients:

1-DECANAMINE, N, N-DIMETHYL-N-OXIDE

EINECS	CAS	PBT / WEL	CLP Classification	Percent
220-020-5	2605-79-0	-	Aquatic Acute 1: H400; Aquatic Chronic 2: H411; Eye Dam. 1: H318; Acute Tox. 4: H302	<1%

SODIUM CHLORITE 100%

231-836-6	7758-19-2	-	Eye Dam. 1: H318; Ox. Sol. 2: H272;	<1%
			Acute Tox. 4: H302; Acute Tox. 3: H311;	
			Skin Corr. 1B: H314; Aquatic Acute 1:	
			H400; STOT RE 2: H373; -: EUH032	

Section 4: First aid measures

4.1. Description of first aid measures

Skin contact: Wash immediately with plenty of soap and water.

Eye contact: Bathe the eye with running water for 15 minutes. Seek medical attention if eye irritation

persists.

Ingestion: Wash out mouth with water.

Inhalation: Move to fresh air in case of accidental inhalation of vapours.

4.2. Most important symptoms and effects, both acute and delayed

Skin contact: There may be mild irritation at the site of contact.

Eye contact: There may be irritation and redness.

Ingestion: There may be irritation of the throat.

Inhalation: There may be irritation of the throat with a feeling of tightness in the chest.

4.3. Indication of any immediate medical attention and special treatment needed

Immediate / special treatment: Eye bathing equipment should be available on the premises.

Section 5: Fire-fighting measures

TRISTEL DUO FOR SURFACES ACTIVATOR SOLUTION

5.1. Extinguishing media

Extinguishing media: Suitable extinguishing media for the surrounding fire should be used. Use water spray

to cool containers.

5.2. Special hazards arising from the substance or mixture

Exposure hazards: In combustion emits toxic fumes.

5.3. Advice for fire-fighters

Advice for fire-fighters: Wear self-contained breathing apparatus. Wear protective clothing to prevent contact with skin and eyes.

Section 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

Personal precautions: Refer to section 8 of SDS for personal protection details. Turn leaking containers leak-

side up to prevent the escape of liquid.

6.2. Environmental precautions

Environmental precautions: Do not discharge into drains or rivers. Contain the spillage using bunding.

6.3. Methods and material for containment and cleaning up

Clean-up procedures: Absorb into dry earth or sand. Transfer to a closable, labelled salvage container for

disposal by an appropriate method.

6.4. Reference to other sections

Reference to other sections: Refer to section 8 of SDS. Refer to section 13 of SDS.

Section 7: Handling and storage

7.1. Precautions for safe handling

Handling requirements: Ensure there is sufficient ventilation of the area.

7.2. Conditions for safe storage, including any incompatibilities

Storage conditions: Store in a cool, well ventilated area. Keep container tightly closed. Do not allow product to come into contact with acids.

7.3. Specific end use(s)

Specific end use(s): To be used with Tristel Duo for Surfaces Base Solution. For professional use only.

Section 8: Exposure controls/personal protection

8.1. Control parameters

TRISTEL DUO FOR SURFACES ACTIVATOR SOLUTION

Page: 4

Hazardous ingredients:

SODIUM CHLORITE 100%

Workplace exposure limits:

State	8 hour TWA	15 min. STEL	8 hour TWA	15 min. STEL
EU	-	0.41mg/m3	-	-

Respirable dust

DNEL/PNEC Values

DNEL / PNEC No data available.

8.2. Exposure controls

Engineering measures:Ensure there is sufficient ventilation of the area.Respiratory protection:Respiratory protection not required.Hand protection:Protective gloves.Eye protection:Safety glasses. Ensure eye bath is to hand.Skin protection:Protective clothing.

Section 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

State:	Liquid		
Colour:	Colourless		
Odour:	Odourless		
Evaporation rate:	No data available.		
Oxidising:	No data available.		
Solubility in water:	No data available.		
Viscosity:	No data available.		
Boiling point/range℃:	No data available.	Melting point/range °C:	No data available.
Flammability limits %: lower:	No data available.	upper:	No data available.
Flash point℃:	No data available. Par	rt.coeff. n-octanol/water:	No data available.
Autoflammability °C:	No data available.	Vapour pressure:	No data available.
Relative density:	1.000-1.010	pH:	10-11
VOC g/l:	No data available.		

9.2. Other information

Other information: No data available.

Section 10: Stability and reactivity

10.1. Reactivity

Reactivity: Stable under recommended transport or storage conditions.

TRISTEL DUO FOR SURFACES ACTIVATOR SOLUTION

10.2. Chemical stability

Chemical stability: Stable under normal conditions.

10.3. Possibility of hazardous reactions

Hazardous reactions: Hazardous reactions will not occur under normal transport or storage conditions.

Decomposition may occur on exposure to conditions or materials listed below. Contact

with acids liberates very toxic gas.

10.4. Conditions to avoid

Conditions to avoid: Heat.

10.5. Incompatible materials

Materials to avoid: Strong oxidising agents. Strong acids.

10.6. Hazardous decomposition products

Haz. decomp. products: In combustion emits toxic fumes.

Section 11: Toxicological information

11.1. Information on toxicological effects

Relevant hazards for substance:

Hazard	Route	Basis
Serious eye damage/irritation	OPT	Hazardous: calculated

Symptoms / routes of exposure

Skin contact: There may be mild irritation at the site of contact.

Eye contact: There may be irritation and redness.

Ingestion: There may be irritation of the throat.

Inhalation: There may be irritation of the throat with a feeling of tightness in the chest.

Section 12: Ecological information

12.1. Toxicity

Hazardous ingredients:

SODIUM CHLORITE 100%

Daphnia magna	48H EC50	0.29	mg/l
FISH	96H LC50	265-310	mg/l

12.2. Persistence and degradability

Persistence and degradability: Biodegradable.

12.3. Bioaccumulative potential

Bioaccumulative potential: No bioaccumulation potential.

TRISTEL DUO FOR SURFACES ACTIVATOR SOLUTION

12.4. Mobility in soil

Mobility: Readily absorbed into soil. Not classified as environmentally hazardous.

12.5. Results of PBT and vPvB assessment

PBT identification: This product is not identified as a PBT/vPvB substance.

12.6. Other adverse effects

Other adverse effects: Negligible ecotoxicity.

Section 13: Disposal considerations

13.1. Waste treatment methods

Disposal operations: Transfer to a suitable container and arrange for collection by specialised disposal

company.

NB: The user's attention is drawn to the possible existence of regional or national regulations regarding disposal.

Section 14: Transport information

14.1. UN number

UN number: Not applicable

14.2. UN proper shipping name

Shipping name: NOT CLASSIFIED AS DANGEROUS IN THE MEANING OF TRANSPORT REGULATIONS.

14.3. Transport hazard class(es)

Transport class: Not applicable (Not+applicable)

14.4. Packing group

Packing group: Not applicable

14.5. Environmental hazards

Environmentally hazardous: No

14.6. Special precautions for user

Special precautions: No special precautions.

Tunnel code: Not applicable

Transport category: Not applicable

IMDG seg. group: NOT APPLICABLE

14.7. Transport in bulk according to Annex II of MARPOL73/78 and the IBC Code

Transport in bulk: Not applicable

Section 15: Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

Specific regulations: This product has been classified in accordance with CLP and CHIP regulations and

compiled in accordance with Annex II of REACH.

Marine pollutant: No

TRISTEL DUO FOR SURFACES ACTIVATOR SOLUTION

15.2. Chemical Safety Assessment		
Chemical safety assessment:	A chemical safety assessment has not been carried out for the substance or the mixture	
	by the supplier.	
Section 16: Other information		
Other information		
Other information:	This safety data sheet is prepared in accordance with Commission Regulation (EU) No	
	453/2010.	
	* indicates text in the SDS which has changed since the last revision.	
Phrases used in s.2 and s.3:	EUH032: Contact with acids liberates very toxic gas.	
	H272: May intensify fire; oxidiser.	
	H302: Harmful if swallowed.	
	H311: Toxic in contact with skin.	
	H314: Causes severe skin burns and eye damage.	
	H318: Causes serious eye damage.	
	H319: Causes serious eye irritation.	
	H373: May cause damage to organs <or affected,="" all="" if="" known="" organs="" state=""> through</or>	
	prolonged or repeated exposure <state conclusively="" exposure="" if="" is="" it="" of="" proven="" route="" th="" that<=""></state>	
	no other routes of exposure cause the hazard>.	
	H400: Very toxic to aquatic life.	
	H411: Toxic to aquatic life with long lasting effects.	
Legal disclaimer:	The above information is believed to be correct but does not purport to be all inclusive	
	and shall be used only as a guide. This company shall not be held liable for any	
	damage resulting from handling or from contact with the above product.	

Page: 7