# **Tristel**

# SAFETY DATA SHEET

TRISTEL PUROGENE

Page: 1

Compilation date: 16/03/2012

Revision date: 12/05/2015

Revision No: 5

	<b>Revision No:</b> 5
Section 1: Identification of the	substance/mixture and of the company/undertaking
1.1. Product identifier	
Product name:	TRISTEL PUROGENE
1.2. Relevant identified uses of	f the substance or mixture and uses advised against
Use of substance / mixture:	Disinfectant solution. For professional use only. Uses advised against: Uses other than
	the intended use of the product
1.3. Details of the supplier of the	· · · · · · · · · · · · · · · · · · ·
	Tristel Solutions Limited
oompany name.	Lynx Business Park
	Fordham Road
	Newmarket
	Cambridgeshire
	CB8 7NY
	United Kingdom
Tel:	+44 (0) 1638 721 500
Fax:	+44 (0) 1638 721 911
Email:	healthandsafety@tristel.com
1.4. Emergency telephone num	ıber
Emergency tel:	+44 (0) 1638 721 500
	(office hours only)
Section 2: Hazards identification	on
2.1. Classification of the subst	ance or mixture
	Skin Irrit. 2: H315; Eye Dam. 1: H318; -: EUH032
Classification under CHIP:	
Most important adverse effects:	Contact with acids liberates very toxic gas. Causes skin irritation. Causes serious eye
	damage.

2.2. Label elements

Label elements under CLP:

Hazard statements: EUH032: Contact with acids liberates very toxic gas.

H315: Causes skin irritation.

H318: Causes serious eye damage.

Signal words: Danger

Hazard pictograms: GHS05: Corrosion

TRISTEL PUROGENE



Precautionary statements:P280: Wear protective gloves/protective clothing/eye protection.P302+352: IF ON SKIN: Wash with plenty of soap and water.P305+351+338: IF IN EYES: Rinse cautiously with water for several minutes. Removecontact lenses, if present and easy to do. Continue rinsing.P332+313: If skin irritation occurs: Get medical advice.

#### 2.3. Other hazards

PBT: This product is not identified as a PBT/vPvB substance.

#### Section 3: Composition/information on ingredients

#### 3.2. Mixtures

#### Hazardous ingredients:

SODIUM CHLORITE 100%

EINECS	CAS	CHIP Classification	CLP Classification	Percent
231-836-6	7758-19-2	-	Eye Dam. 1: H318; Ox. Sol. 2: H272;	1-10%
			Acute Tox. 4: H302; Acute Tox. 3: H311;	
			Skin Corr. 1B: H314; Aquatic Acute 1:	
			H400; STOT RE 2: H373; -: EUH032	

# Section 4: First aid measures

## 4.1. Description of first aid measures

Skin contact: Wash immediately with plenty of soap and water. If skin irritation or rash occurs: Get medical advice.

**Eye contact:** Bathe the eye with running water for 15 minutes. Seek medical attention if eye irritation persists.

- Ingestion: Wash out mouth with water. Consult a doctor.
- Inhalation: Remove casualty from exposure ensuring one's own safety whilst doing so. Consult a doctor.

#### 4.2. Most important symptoms and effects, both acute and delayed

Skin contact: There may be irritation and redness at the site of contact.
Eye contact: There may be pain and redness. The eyes may water profusely.
Ingestion: There may be soreness and redness of the mouth and throat. There may be difficulty swallowing. Nausea and stomach pain may occur.
Inhalation: There may be irritation of the throat with a feeling of tightness in the chest.

**Delayed** / **immediate effects:** Immediate effects can be expected after short-term exposure.

TRISTEL PUROGENE

#### 4.3. Indication of any immediate medical attention and special treatment needed

Immediate / special treatment: Eye bathing equipment should be available on the premises.

#### Section 5: Fire-fighting measures

#### 5.1. Extinguishing media

Extinguishing media: Suitable extinguishing media for the surrounding fire should be used. Use water spray

to cool containers.

#### 5.2. Special hazards arising from the substance or mixture

Exposure hazards: In combustion emits toxic fumes.

#### 5.3. Advice for fire-fighters

Advice for fire-fighters: Wear self-contained breathing apparatus. Wear protective clothing to prevent contact with skin and eyes.

# Section 6: Accidental release measures

#### 6.1. Personal precautions, protective equipment and emergency procedures

**Personal precautions:** Refer to section 8 of SDS for personal protection details. Mark out the contaminated area with signs and prevent access to unauthorised personnel. Turn leaking containers leak-side up to prevent the escape of liquid.

#### 6.2. Environmental precautions

Environmental precautions: Do not discharge into drains or rivers. Contain the spillage using bunding.

## 6.3. Methods and material for containment and cleaning up

Clean-up procedures: Absorb into dry earth or sand. Transfer to a closable, labelled salvage container for

disposal by an appropriate method.

## 6.4. Reference to other sections

Reference to other sections: Refer to section 8 of SDS. Refer to section 13 of SDS.

#### Section 7: Handling and storage

#### 7.1. Precautions for safe handling

Handling requirements: Avoid direct contact with the substance. Ensure there is sufficient ventilation of the area.

# 7.2. Conditions for safe storage, including any incompatibilities

**Storage conditions:** Store in cool, well ventilated area. Keep container tightly closed. Do not allow product to come into contact with acids.

Suitable packaging: Must only be kept in original packaging.

#### 7.3. Specific end use(s)

Specific end use(s): Disinfectant Solution. For professional use only.

TRISTEL PUROGENE

Page: 4

# Section 8: Exposure controls/personal protection

#### 8.1. Control parameters

#### Hazardous ingredients:

# **SODIUM CHLORITE 100%**

#### Workplace exposure limits:

State	8 hour TWA	15 min. STEL	8 hour TWA	15 min. STEL
EU	-	0.41mg/m3	-	-

**Respirable dust** 

#### **DNEL/PNEC** Values

DNEL / PNEC No data available.

8.2. Exposure controls

Engineering measures:Ensure there is sufficient ventilation of the area.Respiratory protection:Respiratory protection not required.Hand protection:Protective gloves.Eye protection:Safety glasses with side-shields. Ensure eye bath is to hand.Skin protection:Protective clothing.

## Section 9: Physical and chemical properties

# 9.1. Information on basic physical and chemical properties

State:	Liquid		
Colour:	Colourless		
Odour:	Chlorine like		
Evaporation rate:	No data available.		
Oxidising:	No data available.		
Solubility in water:	No data available.		
Viscosity:	No data available.		
Boiling point/range °C:	No data available.	Melting point/range °C:	No data available.
Flammability limits %: lower:	No data available.	upper:	No data available.
Flash point℃:	No data available.	Part.coeff. n-octanol/water:	No data available.
Autoflammability °C:	No data available.	Vapour pressure:	No data available.
Relative density:	No data available.	pH:	8.2-8.5
VOC g/l:	No data available.		
9.2. Other information			

Other information: No data available.

Section 10: Stability and reactivity

#### TRISTEL PUROGENE

## 10.1. Reactivity

Reactivity: Stable under recommended transport or storage conditions.

## 10.2. Chemical stability

Chemical stability: Stable under normal conditions.

## 10.3. Possibility of hazardous reactions

Hazardous reactions: Hazardous reactions will not occur under normal transport or storage conditions.

Decomposition may occur on exposure to conditions or materials listed below. Contact

with acids liberates very toxic gas.

#### 10.4. Conditions to avoid

#### Conditions to avoid: Heat.

10.5. Incompatible materials

Materials to avoid: Strong oxidising agents. Strong acids.

# 10.6. Hazardous decomposition products

Haz. decomp. products: In combustion emits toxic fumes.

# Section 11: Toxicological information

## 11.1. Information on toxicological effects

#### **Relevant effects for mixture:**

Effect	Route	Basis
Acute toxicity (harmful)	DRM	Hazardous: calculated
Irritation	OPT	Hazardous: calculated

## Symptoms / routes of exposure

Skin contact:	<ul><li>There may be irritation and redness at the site of contact.</li><li>There may be pain and redness. The eyes may water profusely.</li></ul>		
Eye contact:			
Ingestion: There may be soreness and redness of the mouth and throat. There may be diffi			
	swallowing. Nausea and stomach pain may occur.		
Inhalation:	There may be irritation of the throat with a feeling of tightness in the chest.		
Delayed / immediate effects:	Immediate effects can be expected after short-term exposure.		
Other information:	Not applicable.		

# Section 12: Ecological information

12.1. Toxicity

Page: 5

#### TRISTEL PUROGENE

Page: 6

#### Hazardous ingredients:

#### **SODIUM CHLORITE 100%**

Daphnia magna	48H EC50	0.29	mg/l
FISH	96H LC50	265-310	mg/l

#### 12.2. Persistence and degradability

Persistence and degradability: Biodegradable.

# 12.3. Bioaccumulative potential

Bioaccumulative potential: No bioaccumulation potential.

# 12.4. Mobility in soil

Mobility: Readily absorbed into soil. Not classified as environmentally hazardous.

#### 12.5. Results of PBT and vPvB assessment

PBT identification: This product is not identified as a PBT/vPvB substance.

#### 12.6. Other adverse effects

Other adverse effects: Negligible ecotoxicity.

#### Section 13: Disposal considerations

#### 13.1. Waste treatment methods

Disposal operations: Transfer to a suitable container and arrange for collection by specialised disposal

company.

**NB:** The user's attention is drawn to the possible existence of regional or national regulations regarding disposal.

#### Section 14: Transport information

14.1. UN number

**UN number:** Not applicable

14.2. UN proper shipping name

Shipping name: NOT CLASSIFIED AS DANGEROUS IN THE MEANING OF TRANSPORT REGULATIONS.

14.3. Transport hazard class(es)

Transport class: Not applicable

14.4. Packing group

Packing group: Not applicable

14.5. Environmental hazards

Environmentally hazardous: No

Marine pollutant: No

TRISTEL PUROGENE

Page: 7

## 14.6. Special precautions for user

Special precautions: No special precautions.

Tunnel code: Not applicable

Transport category: Not applicable

IMDG seg. group: NOT APPLICABLE

# 14.7. Transport in bulk according to Annex II of MARPOL73/78 and the IBC Code

Transport in bulk: Not applicable

# Section 15: Regulatory information

## 15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

Specific regulations: This product has been classified in accordance with CLP and CHIP regulations and

compiled in accordance with Annex II of REACH.

#### 15.2. Chemical Safety Assessment

Chemical safety assessment: A chemical safety assessment has not been carried out for the substance or the mixture

by the supplier.

# Section 16: Other information

# Other information

Other information:	This safety data sheet is prepared in accordance with Commission Regulation (EU) No	
	453/2010.	
	* indicates text in the SDS which has changed since the last revision.	
Phrases used in s.2 and s.3:	EUH032: Contact with acids liberates very toxic gas.	
	H272: May intensify fire; oxidiser.	
	H302: Harmful if swallowed.	
	H311: Toxic in contact with skin.	
	H314: Causes severe skin burns and eye damage.	
	H315: Causes skin irritation.	
	H318: Causes serious eye damage.	
	H373: May cause damage to organs <or affected,="" all="" if="" known="" organs="" state=""> through</or>	
	prolonged or repeated exposure <state conclusively="" exposure="" if="" is="" it="" of="" proven="" route="" th="" that<=""><th></th></state>	
	no other routes of exposure cause the hazard>.	
	H400: Very toxic to aquatic life.	
	R21: Harmful in contact with skin.	
	R32: Contact with acids liberates very toxic gas.	
	R36: Irritating to eyes.	
Legend to abbreviations:	PNEC = predicted no effect level	
	DNEL = derived no effect level	
	LD50 = median lethal dose	
	LC50 = median lethal concentration	
		[oont

TRISTEL PUROGENE

Page: 8

EC50 = median effective concentration

IC50 = median inhibitory concentration

dw = dry weight

bw = body weight

cc = closed cup

oc = open cup

MUS = mouse

GPG = guinea pig

RBT = rabbit

HAM = hamster

HMN = human

MAM = mammal

PGN = pigeon

IVN = intravenous

SCU = subcutaneous

SKN = skin

DRM = dermal

OCC = ocular/corneal

PCP = phycico-chemical properties

Legal disclaimer: The above information is believed to be correct but does not purport to be all inclusive and shall be used only as a guide. This company shall not be held liable for any damage resulting from handling or from contact with the above product.